




# TRAXON Plus<sup>+</sup>

## Ribbon Plus Drivers

Project: \_\_\_\_\_

Type: \_\_\_\_\_



IP65



0-10v



ELV



TRIAC

Traxon Ribbon Plus Multi-Bend is a slim, direct view luminaire crafted to seamlessly blend into any architectural detail, wall or facade with tight installation requirements and its ability to bend on both the X and Y axis. The Ribbon Plus provides an even radiance with superior color fidelity and ingress protection in even the harshest of condition.


### Features

- Dimmable drivers to power and control your Ribbon Plus units
- 0-10v, ELV, DMX or On/Off controls


### Product Specifications

Light Source	OMNIDRIVE X 24V 60W w/ Junction Box	OMNIDRIVE X 24V 96W w/ Junction Box	LO-PRO Mini 24v 100W VLM Driver w/ Junction Box
Dimming	0-10v, ELV & TRIAC		
Class 2	Yes	Yes	Yes
Operating Temperature	-22°F to +158°F / -30°C to +70°C		
Humidity	95%, non-condensing		
Dimensions (L x W x H) <sup>1</sup>	7.4" x 3.7" x 1.57"	8.66" x 3.7" x 1.57"	8.19" x 2.94" x 1.31"


OMNIDRIVE X 24V 60W w/ Junction Box



OMNIDRIVE X 24V 96W w/ Junction Box



LO-PRO Mini 24v 100W VLM Driver w/ Junction Box



Accessories

Model No.	Description	Item Code
VLM100W-24-LPM	LO-PRO Mini LED Driver Junction Box and Driver Combo - 24V 100W VLM	DA24302359555
DI-ODX-24V60W-J	OMNIDRIVE X 24V 60W, Electronic / 0-10V Dimmable Driver, Indoor/Outdoor Rated Junction Box	DA24302359655
DI-ODX-24V96W-J	OMNIDRIVE X 24V 96W, Electronic / 0-10V LED Dimmable Driver, Indoor/Outdoor Rated Junction Box	DA24302359755