



TRAXON Pro*

Washer Pro Micro DC White



Project: _____

Type: _____



IP66



COAST



ANSI 3G



IK08



0-10V




DMX 512

The Washer Pro Micro is our mini-sized offering delivering high brightness from a small form factor. Whether enhancing architecture or creating the perfect ambiance, the expanded range of seven CCTs offers greater flexibility, sharper color rendering, and an elevated visual experience.


Features

- DMX 512 / RDM and 0-10V control enabled
- Control in 8 Bit or 16 Bit for fine color adjustments
- CRI 90 options available for 2700K – 4000K
- Available in a variety of customized output options (by request)


Dimensions




Color Options



Beam Angles



Finish



Product Specifications

Model	Washer Pro Micro DC White
Light Source	White LED
Color Range	2200K, 2700K, 3000K, 3500K, 4000K, 5700K, 6500K
LED Quantity	8pcs (5°) / 12pcs (≥15°)
Luminous Flux	3090 lm (full on 4000K 15°)
Candela	19689 cd (full on 4000K 15°)
Efficacy	103 lm/W (full on 4000K 15°)
CRI *	80 / 90
SDCM	3
Beam Angles ¹	5°, 15°, 25°, 40°, 55° x 15° native 55°, 70°, 85°, 60° x 20° (or 20° x 60°) with spread lens accessory
Cover Lens	Tempered Glass
Housing	Die Cast Aluminum
Housing Finish Options ²	Traxon Signature Gray (RAL7005), Gray, RAL7015, Black (RAL9005) White (RAL9003) Custom RAL colors by request
Adjustment Options	-5° to + 95°
Mounting	Mounting via Yoke arm. Optional mounting accessories are available
Dimensions (W x D x H)	158mm / 6.2" x 164mm / 6.5" x 232mm / 9.1"
Weight	2.35kg / 5.2lbs
EPA	Front: 0.32 sq.ft Side: 0.31 sq.ft
Regulatory Listing & Safety Approval	CE, UKCA, cETLus, FCC, ANSI C136.31-3G
Operating Temperature	-30°C to +55°C (-22°F to +131°F)
Minimum Starting Temperature	-20°C (-4°F)
Storage Temperature	-40°C to +80°C (-40°F to +176°F)
Environment	Outdoor, IP66, IK08, Coastal Environment (ASTM B117-16)
Humidity	85%, non-condensing

Electrical Specifications

Input Voltage	24V DC
Power Consumption ³	30 W
Lumen Maintenance	L70 81000hrs @ 25°C

System Specifications

Power	CE market: LED Engine 24V ETL market: LED Engine 24V (Class 2)
Control ⁴	DMX 512, RDM Enabled 0-10V
Power Supply	Integrated
Maximum number of daisy chain fixture per input power line ⁵	3PCS@24V DC (ETL) with Class 2 PSU 6PCS@24V DC (CE)
Addressing Options	Auto-addressing or Manual-addressing via RDM

*: 2200K available in 70CRI, CRI90 options available for 2700K - 4000K.

¹: Spread lens assembled using 15° fixture.

²: Custom RAL Housing available by request. MOQ and additional costs may apply. Consult with your regional Traxon Office for more information.

³: The power can be set in the factory to achieve a fixed maximum power output to match project specifications and environmental targets (Washer Pro Micro: 15W-30W).

⁴: 0-10V dim to ~ 5-10%.

⁵: DMX version data.

LED CHARACTERISTICS Because LEDs are semiconductor devices, their performances are subject to inherent variability commonly found in semiconductor industry. To improve consistency in performance across the same product, LED manufacturers "sort" LEDs into bins according to different preset parameters, such as forward driving voltage, illumination, etc. Whereas binning is a sorting function, it is not a correction process. Inherent variability in the manufacturing process results always in different binning distributions according to different production lots. Traxon uses automatically binned LEDs on its products, thereby minimizing output variations within the model range.

As with all electronic devices, LED output degrades over time – a term called lumen depreciation. This also explains why it is nearly impossible to expect photometric performances of two LED products with different service life spans to be the same. The rate of LED degrade is a complicated function of many factors such as operating efficiency, duration of continuous operation, and more significantly, environmental conditions (ambient temperature for example). If allowed working under optimal operating temperature range and with good ventilation, LED devices enjoy long service lives over conventional light sources. When using/installing LED devices, care should be taken to ensure that the devices will operate within the operating conditions specified in respective product literature.


Lumen measurement complies with LM-79-08 standard.

Lumen maintenance is calculated based on LM-80 compliant measurement.

Source Specifications

Source	White LED (CRI 80)
Optics	15°

Candela Distribution



Light Output

Color	Luminous Flux (lm)	Center Intensity (cd)	Efficacy (lm/W)
2200K	2472.0	15751	82
2700K	2595.6	16538	87
3000K	2781.0	17720	93
3500K	2781.0	17720	93
4000K	3090.0	19689	103
5700K	3090.0	19689	103
6500K	3090.0	19689	103

Illuminance at a Distance

	Center Beam LUX/klm	Beam Width	
5m	846	0.91m / 3'	16.4'
10m	212	1.82m / 6'	32.8'
15m	94	2.73m / 9'	49.2'
20m	53	3.64m / 11.9'	65.6'
25m	34	4.55m / 14.9'	82'
30m	24	5.46m / 17.9'	98.4'


For fc divide by 10.7

Horiz.Spread: 10.4°

IES and LDT files are available for download from the Traxon website.


Color	Distance	Illuminance	
		LUX	FC
2200K	5m / 16.4'	2091	195
	10m / 32.8'	524	49
	15m / 49.2'	232	22
	20m / 65.6'	131	12
	25m / 82'	84	8
	30m / 98.4'	59	6
2700K	5m / 16.4'	2196	205
	10m / 32.8'	550	51
	15m / 49.2'	244	23
	20m / 65.6'	138	13
	25m / 82'	88	8
	30m / 98.4'	62	6
3000K	5m / 16.4'	2353	220
	10m / 32.8'	590	55
	15m / 49.2'	261	24
	20m / 65.6'	147	14
	25m / 82'	95	9
	30m / 98.4'	67	6
3500K	5m / 16.4'	2353	220
	10m / 32.8'	590	55
	15m / 49.2'	261	24
	20m / 65.6'	147	14
	25m / 82'	95	9
	30m / 98.4'	67	6
4000K	5m / 16.4'	2614	244
	10m / 32.8'	655	61
	15m / 49.2'	290	27
	20m / 65.6'	164	15
	25m / 82'	105	10
	30m / 98.4'	74	7
5700K	5m / 16.4'	2614	244
	10m / 32.8'	655	61
	15m / 49.2'	290	27
	20m / 65.6'	164	15
	25m / 82'	105	10
	30m / 98.4'	74	7
6500K	5m / 16.4'	2614	244
	10m / 32.8'	655	61
	15m / 49.2'	290	27
	20m / 65.6'	164	15
	25m / 82'	105	10
	30m / 98.4'	74	7

Fixture



Optical Accessories


Spread Lens Kit		
Model No.	Description	Item Code
WP.SM.209000	W PRO WHITE SL KIT 55° MICRO	DL24102286255
WP.SM.210000	W PRO WHITE SL KIT 70° MICRO	DL24102286755
WP.SM.211000	W PRO WHITE SL KIT 85° MICRO	DL24102287255
WP.SM.212000	W PRO WHITE SL KIT 60°x20° MICRO	DL24102287755




Optical Accessories

Glare Shield

Model No.	Description	Item Code
WP.AG.200000	W PRO GS ANGLED MICRO COVER	DA23100030555
WP.AG.200100	W PRO GS ANGLED MICRO COVER Gray	DA23100150355
WP.AG.200200	W PRO GS ANGLED MICRO COVER Black	DA23100151355
WP.AG.200300	W PRO GS ANGLED MICRO COVER White	DA23100152355




Model No.	Description	Item Code
WP.FG.200000	W PRO GS FULL MICRO COVER	DA23100031355
WP.FG.200100	W PRO GS FULL MICRO COVER Gray	DA23100150855
WP.FG.200200	W PRO GS FULL MICRO COVER Black	DA23100151855
WP.FG.200300	W PRO GS FULL MICRO COVER White	DA23100152855



Mounting Accessories

Rotatable Mount Plate




Model No.	Description	Item Code
WP.RP.200000	W PRO RP MICRO	DA23100032655
WP.RP.200100	W PRO RP MICRO Gray	DA23100154255
WP.RP.200200	W PRO RP MICRO Black	DA23100154655
WP.RP.200300	W PRO RP MICRO White	DA23100155055



Mounting Accessories

Tree Mount Accessories

Model No.	Description	Item Code
WP.TRA00000	W PRO TREE RING	DA24102288155
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT	DA24102288255
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT FOR RP	DA24102288355




Stake Mount




Model No.	Description	Item Code
WP.ST.200000	W PRO STAKE KIT MICRO	DA24102307555

W PRO STAKE KIT MICRO (WP.ST.200000)

Stake




Stake Adaptor (pre-installed)




Connection Accessories


DMX 4-PIN Starter Cable TYPE-2 DC (CE & ETL) (CA.SC.CC101000 / CA.SC.CC103000 / CA.SC.CC105000 / CA.SC.CC110000)



DMX Power Injector Starter Cable TYPE-2 DC (CE & ETL) (CA.SC.CC401000 / CA.SC.CC403000 / CA.SC.CC405000 / CA.SC.CC410000)




DMX Interconnection Cable TYPE-2 DC (CE & ETL) (CA.IC.CC101000 / CA.IC.CC103000 / CA.IC.CC105000 / CA.IC.CC110000)




Connection Accessories


DMX Power Injector Cable TYPE-2 DC (CE & ETL) (CA.PI.CC100000)



End Cap TYPE-2 DC 4/5-PIN With Terminator (CE & ETL) (CA.EC.CC100000)




0-10V Starter Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.SC.CCC01000 / CA.SC.CCC03000 / CA.SC.CCC05000 / CA.SC.CCC10000)




Connection Accessories


0-10V Interconnection Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.IC.CCC01000 / CA.IC.CCC03000 / CA.IC.CCC05000 / CA.IC.CCC10000)



0-10V Power Injector Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.PI.CCC00000)




TYPE-2 End Cap Without Terminator (CE & ETL) (DA26104856655)




Surface Mounting

Install expansion screws on the fixed surface




The size of the bracket mounting holes determines the size of the holes to be punched.

Fix the bracket




- 1 Fix bracket via two M5 nuts. (by others)
- 2 Holes on the left and right side for cable in / out.


Adjust desired angles




Tighten the bracket bolts to fix the luminaire to the desired angle



DMX Wiring Diagram



0-10V Wiring Diagram



Washer Pro Micro DC White

Ordering

Model Number Builder

XB.	WP.	2	1	3	NN	N	N	N	O	N	N	O
		Housing Size	DC / AC	Wattage	LED	CCT	Optics/ Beam**	Control	Approbation	Color Finish	Cable / Connector	
		2 - Micro	1 - DC 24V	3 - 30W*	24 - White	1 - 2200K	D - 5°	0 - DMX / RDM	0 - CE & cETLus	0 - TX Gray	1 - With TYPE-2 connector	
					27 - White (CRI90)	2 - 2700K	5 - 15°	2 - 0-10V		1 - Gray	7 - Without connector	
						3 - 3000K	E - 25°			2 - Black		
						4 - 3500K	F - 40°			3 - White		
						5 - 4000K	G - 55°x15°			C - Custom		
						8 - 5700K						
						9 - 6500K						

*The power can be set in the factory to achieve a fixed maximum power output to match project specifications and environmental targets (Washer Pro Micro: 15W-30W).

**Additional beams through the use of Spread lens accessory with a 15° fixture.

Project Model Number

XB.	WP.	2	1	3				O	O			O
-----	-----	---	---	---	--	--	--	---	---	--	--	---

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.213241D00010	WASHER PRO MICRO DC 30W 2200K 5° (TYPE-2)	DL24102193155
XB.WP.213241500010	WASHER PRO MICRO DC 30W 2200K 15° (TYPE-2)	DL24102193255
XB.WP.213241E00010	WASHER PRO MICRO DC 30W 2200K 25° (TYPE-2)	DL24102193355
XB.WP.213241F00010	WASHER PRO MICRO DC 30W 2200K 40° (TYPE-2)	DL24102193455
XB.WP.213241G00010	WASHER PRO MICRO DC 30W 2200K 55°x15° (TYPE-2)	DL24102193555
XB.WP.213242D00010	WASHER PRO MICRO DC 30W 2700K 5° (TYPE-2)	DL24102193655
XB.WP.213242500010	WASHER PRO MICRO DC 30W 2700K 15° (TYPE-2)	DL24102193755
XB.WP.213242E00010	WASHER PRO MICRO DC 30W 2700K 25° (TYPE-2)	DL24102193855
XB.WP.213242F00010	WASHER PRO MICRO DC 30W 2700K 40° (TYPE-2)	DL24102193955
XB.WP.213242G00010	WASHER PRO MICRO DC 30W 2700K 55°x15° (TYPE-2)	DL24102194055
XB.WP.213243D00010	WASHER PRO MICRO DC 30W 3000K 5° (TYPE-2)	DL24102194155
XB.WP.213243500010	WASHER PRO MICRO DC 30W 3000K 15° (TYPE-2)	DL24102194255
XB.WP.213243E00010	WASHER PRO MICRO DC 30W 3000K 25° (TYPE-2)	DL24102194355
XB.WP.213243F00010	WASHER PRO MICRO DC 30W 3000K 40° (TYPE-2)	DL24102194455
XB.WP.213243G00010	WASHER PRO MICRO DC 30W 3000K 55°x15° (TYPE-2)	DL24102194555
XB.WP.213244D00010	WASHER PRO MICRO DC 30W 3500K 5° (TYPE-2)	DL24102308255
XB.WP.213244500010	WASHER PRO MICRO DC 30W 3500K 15° (TYPE-2)	DL24102308355
XB.WP.213244E00010	WASHER PRO MICRO DC 30W 3500K 25° (TYPE-2)	DL24102308455
XB.WP.213244F00010	WASHER PRO MICRO DC 30W 3500K 40° (TYPE-2)	DL24102308555
XB.WP.213244G00010	WASHER PRO MICRO DC 30W 3500K 55°x15° (TYPE-2)	DL24102308655
XB.WP.213245D00010	WASHER PRO MICRO DC 30W 4000K 5° (TYPE-2)	DL24102194655
XB.WP.213245500010	WASHER PRO MICRO DC 30W 4000K 15° (TYPE-2)	DL24102194755
XB.WP.213245E00010	WASHER PRO MICRO DC 30W 4000K 25° (TYPE-2)	DL24102194855
XB.WP.213245F00010	WASHER PRO MICRO DC 30W 4000K 40° (TYPE-2)	DL24102194955
XB.WP.213245G00010	WASHER PRO MICRO DC 30W 4000K 55°x15° (TYPE-2)	DL24102195055
XB.WP.213248D00010	WASHER PRO MICRO DC 30W 5700K 5° (TYPE-2)	DL24102195155
XB.WP.213248500010	WASHER PRO MICRO DC 30W 5700K 15° (TYPE-2)	DL24102195255
XB.WP.213248E00010	WASHER PRO MICRO DC 30W 5700K 25° (TYPE-2)	DL24102195355
XB.WP.213248F00010	WASHER PRO MICRO DC 30W 5700K 40° (TYPE-2)	DL24102195455
XB.WP.213248G00010	WASHER PRO MICRO DC 30W 5700K 55°x15° (TYPE-2)	DL24102195555
XB.WP.213249D00010	WASHER PRO MICRO DC 30W 6500K 5° (TYPE-2)	DL24102195655
XB.WP.213249500010	WASHER PRO MICRO DC 30W 6500K 15° (TYPE-2)	DL24102195755
XB.WP.213249E00010	WASHER PRO MICRO DC 30W 6500K 25° (TYPE-2)	DL24102195855

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.213249F00010	WASHER PRO MICRO DC 30W 6500K 40° (TYPE-2)	DL24102195955
XB.WP.213249G00010	WASHER PRO MICRO DC 30W 6500K 55°x15° (TYPE-2)	DL24102196055
XB.WP.213241D00010	WASHER PRO MICRO DC 30W 2200K 5° Gray (TYPE-2)	DL24102217155
XB.WP.213241500010	WASHER PRO MICRO DC 30W 2200K 15° Gray (TYPE-2)	DL24102217255
XB.WP.213241E00010	WASHER PRO MICRO DC 30W 2200K 25° Gray (TYPE-2)	DL24102217355
XB.WP.213241F00010	WASHER PRO MICRO DC 30W 2200K 40° Gray (TYPE-2)	DL24102217455
XB.WP.213241G00010	WASHER PRO MICRO DC 30W 2200K 55°x15° Gray (TYPE-2)	DL24102217555
XB.WP.213242D00010	WASHER PRO MICRO DC 30W 2700K 5° Gray (TYPE-2)	DL24102217655
XB.WP.213242500010	WASHER PRO MICRO DC 30W 2700K 15° Gray (TYPE-2)	DL24102217755
XB.WP.213242E00010	WASHER PRO MICRO DC 30W 2700K 25° Gray (TYPE-2)	DL24102217855
XB.WP.213242F00010	WASHER PRO MICRO DC 30W 2700K 40° Gray (TYPE-2)	DL24102217955
XB.WP.213242G00010	WASHER PRO MICRO DC 30W 2700K 55°x15° Gray (TYPE-2)	DL24102218055
XB.WP.213243D00010	WASHER PRO MICRO DC 30W 3000K 5° Gray (TYPE-2)	DL24102218155
XB.WP.213243500010	WASHER PRO MICRO DC 30W 3000K 15° Gray (TYPE-2)	DL24102218255
XB.WP.213243E00010	WASHER PRO MICRO DC 30W 3000K 25° Gray (TYPE-2)	DL24102218355
XB.WP.213243F00010	WASHER PRO MICRO DC 30W 3000K 40° Gray (TYPE-2)	DL24102218455
XB.WP.213243G00010	WASHER PRO MICRO DC 30W 3000K 55°x15° Gray (TYPE-2)	DL24102218555
XB.WP.213244D00010	WASHER PRO MICRO DC 30W 3500K 5° Gray (TYPE-2)	DL24102312255
XB.WP.213244500010	WASHER PRO MICRO DC 30W 3500K 15° Gray (TYPE-2)	DL24102312355
XB.WP.213244E00010	WASHER PRO MICRO DC 30W 3500K 25° Gray (TYPE-2)	DL24102312455
XB.WP.213244F00010	WASHER PRO MICRO DC 30W 3500K 40° Gray (TYPE-2)	DL24102312555
XB.WP.213244G00010	WASHER PRO MICRO DC 30W 3500K 55°x15° Gray (TYPE-2)	DL24102312655
XB.WP.213245D00010	WASHER PRO MICRO DC 30W 4000K 5° Gray (TYPE-2)	DL24102218655
XB.WP.213245500010	WASHER PRO MICRO DC 30W 4000K 15° Gray (TYPE-2)	DL24102218755
XB.WP.213245E00010	WASHER PRO MICRO DC 30W 4000K 25° Gray (TYPE-2)	DL24102218855
XB.WP.213245F00010	WASHER PRO MICRO DC 30W 4000K 40° Gray (TYPE-2)	DL24102218955
XB.WP.213245G00010	WASHER PRO MICRO DC 30W 4000K 55°x15° Gray (TYPE-2)	DL24102219055
XB.WP.213248D00010	WASHER PRO MICRO DC 30W 5700K 5° Gray (TYPE-2)	DL24102219155
XB.WP.213248500010	WASHER PRO MICRO DC 30W 5700K 15° Gray (TYPE-2)	DL24102219255
XB.WP.213248E00010	WASHER PRO MICRO DC 30W 5700K 25° Gray (TYPE-2)	DL24102219355
XB.WP.213248F00010	WASHER PRO MICRO DC 30W 5700K 40° Gray (TYPE-2)	DL24102219455
XB.WP.213248G00010	WASHER PRO MICRO DC 30W 5700K 55°x15° Gray (TYPE-2)	DL24102219555
XB.WP.213249D00010	WASHER PRO MICRO DC 30W 6500K 5° Gray (TYPE-2)	DL24102219655
XB.WP.213249500010	WASHER PRO MICRO DC 30W 6500K 15° Gray (TYPE-2)	DL24102219755
XB.WP.213249E00010	WASHER PRO MICRO DC 30W 6500K 25° Gray (TYPE-2)	DL24102219855
XB.WP.213249F00010	WASHER PRO MICRO DC 30W 6500K 40° Gray (TYPE-2)	DL24102219955
XB.WP.213249G00010	WASHER PRO MICRO DC 30W 6500K 55°x15° Gray (TYPE-2)	DL24102220055
XB.WP.213241D00210	WASHER PRO MICRO DC 30W 2200K 5° Black (TYPE-2)	DL24102241155
XB.WP.213241500210	WASHER PRO MICRO DC 30W 2200K 15° Black (TYPE-2)	DL24102241255
XB.WP.213241E00210	WASHER PRO MICRO DC 30W 2200K 25° Black (TYPE-2)	DL24102241355
XB.WP.213241F00210	WASHER PRO MICRO DC 30W 2200K 40° Black (TYPE-2)	DL24102241455
XB.WP.213241G00210	WASHER PRO MICRO DC 30W 2200K 55°x15° Black (TYPE-2)	DL24102241555
XB.WP.213242D00210	WASHER PRO MICRO DC 30W 2700K 5° Black (TYPE-2)	DL24102241655
XB.WP.213242500210	WASHER PRO MICRO DC 30W 2700K 15° Black (TYPE-2)	DL24102241755
XB.WP.213242E00210	WASHER PRO MICRO DC 30W 2700K 25° Black (TYPE-2)	DL24102241855
XB.WP.213242F00210	WASHER PRO MICRO DC 30W 2700K 40° Black (TYPE-2)	DL24102241955
XB.WP.213242G00210	WASHER PRO MICRO DC 30W 2700K 55°x15° Black (TYPE-2)	DL24102242055

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.213243D00210	WASHER PRO MICRO DC 30W 3000K 5° Black (TYPE-2)	DL24102242155
XB.WP.213243500210	WASHER PRO MICRO DC 30W 3000K 15° Black (TYPE-2)	DL24102242255
XB.WP.213243E00210	WASHER PRO MICRO DC 30W 3000K 25° Black (TYPE-2)	DL24102242355
XB.WP.213243F00210	WASHER PRO MICRO DC 30W 3000K 40° Black (TYPE-2)	DL24102242455
XB.WP.213243G00210	WASHER PRO MICRO DC 30W 3000K 55°x15° Black (TYPE-2)	DL24102242555
XB.WP.213244D00210	WASHER PRO MICRO DC 30W 3500K 5° Black (TYPE-2)	DL24102316255
XB.WP.213244500210	WASHER PRO MICRO DC 30W 3500K 15° Black (TYPE-2)	DL24102316355
XB.WP.213244E00210	WASHER PRO MICRO DC 30W 3500K 25° Black (TYPE-2)	DL24102316455
XB.WP.213244F00210	WASHER PRO MICRO DC 30W 3500K 40° Black (TYPE-2)	DL24102316555
XB.WP.213244G00210	WASHER PRO MICRO DC 30W 3500K 55°x15° Black (TYPE-2)	DL24102316655
XB.WP.213245D00210	WASHER PRO MICRO DC 30W 4000K 5° Black (TYPE-2)	DL24102242655
XB.WP.213245500210	WASHER PRO MICRO DC 30W 4000K 15° Black (TYPE-2)	DL24102242755
XB.WP.213245E00210	WASHER PRO MICRO DC 30W 4000K 25° Black (TYPE-2)	DL24102242855
XB.WP.213245F00210	WASHER PRO MICRO DC 30W 4000K 40° Black (TYPE-2)	DL24102242955
XB.WP.213245G00210	WASHER PRO MICRO DC 30W 4000K 55°x15° Black (TYPE-2)	DL24102243055
XB.WP.213248D00210	WASHER PRO MICRO DC 30W 5700K 5° Black (TYPE-2)	DL24102243155
XB.WP.213248500210	WASHER PRO MICRO DC 30W 5700K 15° Black (TYPE-2)	DL24102243255
XB.WP.213248E00210	WASHER PRO MICRO DC 30W 5700K 25° Black (TYPE-2)	DL24102243355
XB.WP.213248F00210	WASHER PRO MICRO DC 30W 5700K 40° Black (TYPE-2)	DL24102243455
XB.WP.213248G00210	WASHER PRO MICRO DC 30W 5700K 55°x15° Black (TYPE-2)	DL24102243555
XB.WP.213249D00210	WASHER PRO MICRO DC 30W 6500K 5° Black (TYPE-2)	DL24102243655
XB.WP.213249500210	WASHER PRO MICRO DC 30W 6500K 15° Black (TYPE-2)	DL24102243755
XB.WP.213249E00210	WASHER PRO MICRO DC 30W 6500K 25° Black (TYPE-2)	DL24102243855
XB.WP.213249F00210	WASHER PRO MICRO DC 30W 6500K 40° Black (TYPE-2)	DL24102243955
XB.WP.213249G00210	WASHER PRO MICRO DC 30W 6500K 55°x15° Black (TYPE-2)	DL24102244055
XB.WP.213241D00310	WASHER PRO MICRO DC 30W 2200K 5° White (TYPE-2)	DL24102265155
XB.WP.213241500310	WASHER PRO MICRO DC 30W 2200K 15° White (TYPE-2)	DL24102265255
XB.WP.213241E00310	WASHER PRO MICRO DC 30W 2200K 25° White (TYPE-2)	DL24102265355
XB.WP.213241F00310	WASHER PRO MICRO DC 30W 2200K 40° White (TYPE-2)	DL24102265455
XB.WP.213241G00310	WASHER PRO MICRO DC 30W 2200K 55°x15° White (TYPE-2)	DL24102265555
XB.WP.213242D00310	WASHER PRO MICRO DC 30W 2700K 5° White (TYPE-2)	DL24102265655
XB.WP.213242500310	WASHER PRO MICRO DC 30W 2700K 15° White (TYPE-2)	DL24102265755
XB.WP.213242E00310	WASHER PRO MICRO DC 30W 2700K 25° White (TYPE-2)	DL24102265855
XB.WP.213242F00310	WASHER PRO MICRO DC 30W 2700K 40° White (TYPE-2)	DL24102265955
XB.WP.213242G00310	WASHER PRO MICRO DC 30W 2700K 55°x15° White (TYPE-2)	DL24102266055
XB.WP.213243D00310	WASHER PRO MICRO DC 30W 3000K 5° White (TYPE-2)	DL24102266155
XB.WP.213243500310	WASHER PRO MICRO DC 30W 3000K 15° White (TYPE-2)	DL24102266255
XB.WP.213243E00310	WASHER PRO MICRO DC 30W 3000K 25° White (TYPE-2)	DL24102266355
XB.WP.213243F00310	WASHER PRO MICRO DC 30W 3000K 40° White (TYPE-2)	DL24102266455
XB.WP.213243G00310	WASHER PRO MICRO DC 30W 3000K 55°x15° White (TYPE-2)	DL24102266555
XB.WP.213244D00310	WASHER PRO MICRO DC 30W 3500K 5° White (TYPE-2)	DL24102320255
XB.WP.213244500310	WASHER PRO MICRO DC 30W 3500K 15° White (TYPE-2)	DL24102320355
XB.WP.213244E00310	WASHER PRO MICRO DC 30W 3500K 25° White (TYPE-2)	DL24102320455
XB.WP.213244F00310	WASHER PRO MICRO DC 30W 3500K 40° White (TYPE-2)	DL24102320555
XB.WP.213244G00310	WASHER PRO MICRO DC 30W 3500K 55°x15° White (TYPE-2)	DL24102320655

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.213245D00310	WASHER PRO MICRO DC 30W 4000K 5° White (TYPE-2)	DL24102266655
XB.WP.213245500310	WASHER PRO MICRO DC 30W 4000K 15° White (TYPE-2)	DL24102266755
XB.WP.213245E00310	WASHER PRO MICRO DC 30W 4000K 25° White (TYPE-2)	DL24102266855
XB.WP.213245F00310	WASHER PRO MICRO DC 30W 4000K 40° White (TYPE-2)	DL24102266955
XB.WP.213245G00310	WASHER PRO MICRO DC 30W 4000K 55°x15° White (TYPE-2)	DL24102267055
XB.WP.213248D00310	WASHER PRO MICRO DC 30W 5700K 5° White (TYPE-2)	DL24102267155
XB.WP.213248500310	WASHER PRO MICRO DC 30W 5700K 15° White (TYPE-2)	DL24102267255
XB.WP.213248E00310	WASHER PRO MICRO DC 30W 5700K 25° White (TYPE-2)	DL24102267355
XB.WP.213248F00310	WASHER PRO MICRO DC 30W 5700K 40° White (TYPE-2)	DL24102267455
XB.WP.213248G00310	WASHER PRO MICRO DC 30W 5700K 55°x15° White (TYPE-2)	DL24102267555
XB.WP.213249D00310	WASHER PRO MICRO DC 30W 6500K 5° White (TYPE-2)	DL24102267655
XB.WP.213249500310	WASHER PRO MICRO DC 30W 6500K 15° White (TYPE-2)	DL24102267755
XB.WP.213249E00310	WASHER PRO MICRO DC 30W 6500K 25° White (TYPE-2)	DL24102267855
XB.WP.213249F00310	WASHER PRO MICRO DC 30W 6500K 40° White (TYPE-2)	DL24102267955
XB.WP.213249G00310	WASHER PRO MICRO DC 30W 6500K 55°x15° White (TYPE-2)	DL24102268055

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.213241D20010	WASHER PRO MICRO DC 30W 2200K 5° 0-10V (TYPE-2)	DL25102441955
XB.WP.213241520010	WASHER PRO MICRO DC 30W 2200K 15° 0-10V (TYPE-2)	DL25102442055
XB.WP.213241E20010	WASHER PRO MICRO DC 30W 2200K 25° 0-10V (TYPE-2)	DL25102442155
XB.WP.213241F20010	WASHER PRO MICRO DC 30W 2200K 40° 0-10V (TYPE-2)	DL25102442255
XB.WP.213241G20010	WASHER PRO MICRO DC 30W 2200K 55°x15° 0-10V (TYPE-2)	DL25102442355
XB.WP.213242D20010	WASHER PRO MICRO DC 30W 2700K 5° 0-10V (TYPE-2)	DL25102442455
XB.WP.213242520010	WASHER PRO MICRO DC 30W 2700K 15° 0-10V (TYPE-2)	DL25102442555
XB.WP.213242E20010	WASHER PRO MICRO DC 30W 2700K 25° 0-10V (TYPE-2)	DL25102442655
XB.WP.213242F20010	WASHER PRO MICRO DC 30W 2700K 40° 0-10V (TYPE-2)	DL25102442755
XB.WP.213242G20010	WASHER PRO MICRO DC 30W 2700K 55°x15° 0-10V (TYPE-2)	DL25102442855
XB.WP.213243D20010	WASHER PRO MICRO DC 30W 3000K 5° 0-10V (TYPE-2)	DL25102442955
XB.WP.213243520010	WASHER PRO MICRO DC 30W 3000K 15° 0-10V (TYPE-2)	DL25102443055
XB.WP.213243E20010	WASHER PRO MICRO DC 30W 3000K 25° 0-10V (TYPE-2)	DL25102443155
XB.WP.213243F20010	WASHER PRO MICRO DC 30W 3000K 40° 0-10V (TYPE-2)	DL25102443255
XB.WP.213243G20010	WASHER PRO MICRO DC 30W 3000K 55°x15° 0-10V (TYPE-2)	DL25102443355
XB.WP.213245D20010	WASHER PRO MICRO DC 30W 4000K 5° 0-10V (TYPE-2)	DL25102443455
XB.WP.213245520010	WASHER PRO MICRO DC 30W 4000K 15° 0-10V (TYPE-2)	DL25102443555
XB.WP.213245E20010	WASHER PRO MICRO DC 30W 4000K 25° 0-10V (TYPE-2)	DL25102443655
XB.WP.213245F20010	WASHER PRO MICRO DC 30W 4000K 40° 0-10V (TYPE-2)	DL25102443755
XB.WP.213245G20010	WASHER PRO MICRO DC 30W 4000K 55°x15° 0-10V (TYPE-2)	DL25102443855
XB.WP.213248D20010	WASHER PRO MICRO DC 30W 5700K 5° 0-10V (TYPE-2)	DL25102443955
XB.WP.213248520010	WASHER PRO MICRO DC 30W 5700K 15° 0-10V (TYPE-2)	DL25102444055
XB.WP.213248E20010	WASHER PRO MICRO DC 30W 5700K 25° 0-10V (TYPE-2)	DL25102444155
XB.WP.213248F20010	WASHER PRO MICRO DC 30W 5700K 40° 0-10V (TYPE-2)	DL25102444255
XB.WP.213248G20010	WASHER PRO MICRO DC 30W 5700K 55°x15° 0-10V (TYPE-2)	DL25102444355
XB.WP.213249D20010	WASHER PRO MICRO DC 30W 6500K 5° 0-10V (TYPE-2)	DL25102444455
XB.WP.213249520010	WASHER PRO MICRO DC 30W 6500K 15° 0-10V (TYPE-2)	DL25102444555
XB.WP.213249E20010	WASHER PRO MICRO DC 30W 6500K 25° 0-10V (TYPE-2)	DL25102444655
XB.WP.213249F20010	WASHER PRO MICRO DC 30W 6500K 40° 0-10V (TYPE-2)	DL25102444755
XB.WP.213249G20010	WASHER PRO MICRO DC 30W 6500K 55°x15° 0-10V (TYPE-2)	DL25102444855

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.213241D20110	WASHER PRO MICRO DC 30W 2200K 5° 0-10V Gray (TYPE-2)	DL25102465955
XB.WP.213241520110	WASHER PRO MICRO DC 30W 2200K 15° 0-10V Gray (TYPE-2)	DL25102466055
XB.WP.213241E20110	WASHER PRO MICRO DC 30W 2200K 25° 0-10V Gray (TYPE-2)	DL25102466155
XB.WP.213241F20110	WASHER PRO MICRO DC 30W 2200K 40° 0-10V Gray (TYPE-2)	DL25102466255
XB.WP.213241G20110	WASHER PRO MICRO DC 30W 2200K 55°x15° 0-10V Gray (TYPE-2)	DL25102466355
XB.WP.213242D20110	WASHER PRO MICRO DC 30W 2700K 5° 0-10V Gray (TYPE-2)	DL25102466455
XB.WP.213242520110	WASHER PRO MICRO DC 30W 2700K 15° 0-10V Gray (TYPE-2)	DL25102466555
XB.WP.213242E20110	WASHER PRO MICRO DC 30W 2700K 25° 0-10V Gray (TYPE-2)	DL25102466655
XB.WP.213242F20110	WASHER PRO MICRO DC 30W 2700K 40° 0-10V Gray (TYPE-2)	DL25102466755
XB.WP.213242G20110	WASHER PRO MICRO DC 30W 2700K 55°x15° 0-10V Gray (TYPE-2)	DL25102466855
XB.WP.213243D20110	WASHER PRO MICRO DC 30W 3000K 5° 0-10V Gray (TYPE-2)	DL25102466955
XB.WP.213243520110	WASHER PRO MICRO DC 30W 3000K 15° 0-10V Gray (TYPE-2)	DL25102467055
XB.WP.213243E20110	WASHER PRO MICRO DC 30W 3000K 25° 0-10V Gray (TYPE-2)	DL25102467155
XB.WP.213243F20110	WASHER PRO MICRO DC 30W 3000K 40° 0-10V Gray (TYPE-2)	DL25102467255
XB.WP.213243G20110	WASHER PRO MICRO DC 30W 3000K 55°x15° 0-10V Gray (TYPE-2)	DL25102467355
XB.WP.213245D20110	WASHER PRO MICRO DC 30W 4000K 5° 0-10V Gray (TYPE-2)	DL25102467455
XB.WP.213245520110	WASHER PRO MICRO DC 30W 4000K 15° 0-10V Gray (TYPE-2)	DL25102467555
XB.WP.213245E20110	WASHER PRO MICRO DC 30W 4000K 25° 0-10V Gray (TYPE-2)	DL25102467655
XB.WP.213245F20110	WASHER PRO MICRO DC 30W 4000K 40° 0-10V Gray (TYPE-2)	DL25102467755
XB.WP.213245G20110	WASHER PRO MICRO DC 30W 4000K 55°x15° 0-10V Gray (TYPE-2)	DL25102467855
XB.WP.213248D20110	WASHER PRO MICRO DC 30W 5700K 5° 0-10V Gray (TYPE-2)	DL25102467955
XB.WP.213248520110	WASHER PRO MICRO DC 30W 5700K 15° 0-10V Gray (TYPE-2)	DL25102468055
XB.WP.213248E20110	WASHER PRO MICRO DC 30W 5700K 25° 0-10V Gray (TYPE-2)	DL25102468155
XB.WP.213248F20110	WASHER PRO MICRO DC 30W 5700K 40° 0-10V Gray (TYPE-2)	DL25102468255
XB.WP.213248G20110	WASHER PRO MICRO DC 30W 5700K 55°x15° 0-10V Gray (TYPE-2)	DL25102468355
XB.WP.213249D20110	WASHER PRO MICRO DC 30W 6500K 5° 0-10V Gray (TYPE-2)	DL25102468455
XB.WP.213249520110	WASHER PRO MICRO DC 30W 6500K 15° 0-10V Gray (TYPE-2)	DL25102468555
XB.WP.213249E20110	WASHER PRO MICRO DC 30W 6500K 25° 0-10V Gray (TYPE-2)	DL25102468655
XB.WP.213249F20110	WASHER PRO MICRO DC 30W 6500K 40° 0-10V Gray (TYPE-2)	DL25102468755
XB.WP.213249G20110	WASHER PRO MICRO DC 30W 6500K 55°x15° 0-10V Gray (TYPE-2)	DL25102468855
XB.WP.213241D20210	WASHER PRO MICRO DC 30W 2200K 5° 0-10V Black (TYPE-2)	DL25102489955
XB.WP.213241520210	WASHER PRO MICRO DC 30W 2200K 15° 0-10V Black (TYPE-2)	DL25102490055
XB.WP.213241E20210	WASHER PRO MICRO DC 30W 2200K 25° 0-10V Black (TYPE-2)	DL25102490155
XB.WP.213241F20210	WASHER PRO MICRO DC 30W 2200K 40° 0-10V Black (TYPE-2)	DL25102490255
XB.WP.213241G20210	WASHER PRO MICRO DC 30W 2200K 55°x15° 0-10V Black (TYPE-2)	DL25102490355
XB.WP.213242D20210	WASHER PRO MICRO DC 30W 2700K 5° 0-10V Black (TYPE-2)	DL25102490455
XB.WP.213242520210	WASHER PRO MICRO DC 30W 2700K 15° 0-10V Black (TYPE-2)	DL25102490555
XB.WP.213242E20210	WASHER PRO MICRO DC 30W 2700K 25° 0-10V Black (TYPE-2)	DL25102490655
XB.WP.213242F20210	WASHER PRO MICRO DC 30W 2700K 40° 0-10V Black (TYPE-2)	DL25102490755
XB.WP.213242G20210	WASHER PRO MICRO DC 30W 2700K 55°x15° 0-10V Black (TYPE-2)	DL25102490855
XB.WP.213243D20210	WASHER PRO MICRO DC 30W 3000K 5° 0-10V Black (TYPE-2)	DL25102490955
XB.WP.213243520210	WASHER PRO MICRO DC 30W 3000K 15° 0-10V Black (TYPE-2)	DL25102491055
XB.WP.213243E20210	WASHER PRO MICRO DC 30W 3000K 25° 0-10V Black (TYPE-2)	DL25102491155
XB.WP.213243F20210	WASHER PRO MICRO DC 30W 3000K 40° 0-10V Black (TYPE-2)	DL25102491255
XB.WP.213243G20210	WASHER PRO MICRO DC 30W 3000K 55°x15° 0-10V Black (TYPE-2)	DL25102491355
XB.WP.213245D20210	WASHER PRO MICRO DC 30W 4000K 5° 0-10V Black (TYPE-2)	DL25102491455
XB.WP.213245520210	WASHER PRO MICRO DC 30W 4000K 15° 0-10V Black (TYPE-2)	DL25102491555
XB.WP.213245E20210	WASHER PRO MICRO DC 30W 4000K 25° 0-10V Black (TYPE-2)	DL25102491655

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.213245F20210	WASHER PRO MICRO DC 30W 4000K 40° 0-10V Black (TYPE-2)	DL25102491755
XB.WP.213245G20210	WASHER PRO MICRO DC 30W 4000K 55°x15° 0-10V Black (TYPE-2)	DL25102491855
XB.WP.213248D20210	WASHER PRO MICRO DC 30W 5700K 5° 0-10V Black (TYPE-2)	DL25102491955
XB.WP.213248520210	WASHER PRO MICRO DC 30W 5700K 15° 0-10V Black (TYPE-2)	DL25102492055
XB.WP.213248E20210	WASHER PRO MICRO DC 30W 5700K 25° 0-10V Black (TYPE-2)	DL25102492155
XB.WP.213248F20210	WASHER PRO MICRO DC 30W 5700K 40° 0-10V Black (TYPE-2)	DL25102492255
XB.WP.213248G20210	WASHER PRO MICRO DC 30W 5700K 55°x15° 0-10V Black (TYPE-2)	DL25102492355
XB.WP.213249D20210	WASHER PRO MICRO DC 30W 6500K 5° 0-10V Black (TYPE-2)	DL25102492455
XB.WP.213249520210	WASHER PRO MICRO DC 30W 6500K 15° 0-10V Black (TYPE-2)	DL25102492555
XB.WP.213249E20210	WASHER PRO MICRO DC 30W 6500K 25° 0-10V Black (TYPE-2)	DL25102492655
XB.WP.213249F20210	WASHER PRO MICRO DC 30W 6500K 40° 0-10V Black (TYPE-2)	DL25102492755
XB.WP.213249G20210	WASHER PRO MICRO DC 30W 6500K 55°x15° 0-10V Black (TYPE-2)	DL25102492855
XB.WP.213241D20310	WASHER PRO MICRO DC 30W 2200K 5° 0-10V White (TYPE-2)	DL25102513955
XB.WP.213241520310	WASHER PRO MICRO DC 30W 2200K 15° 0-10V White (TYPE-2)	DL25102514055
XB.WP.213241E20310	WASHER PRO MICRO DC 30W 2200K 25° 0-10V White (TYPE-2)	DL25102514155
XB.WP.213241F20310	WASHER PRO MICRO DC 30W 2200K 40° 0-10V White (TYPE-2)	DL25102514255
XB.WP.213241G20310	WASHER PRO MICRO DC 30W 2200K 55°x15° 0-10V White (TYPE-2)	DL25102514355
XB.WP.213242D20310	WASHER PRO MICRO DC 30W 2700K 5° 0-10V White (TYPE-2)	DL25102514455
XB.WP.213242520310	WASHER PRO MICRO DC 30W 2700K 15° 0-10V White (TYPE-2)	DL25102514555
XB.WP.213242E20310	WASHER PRO MICRO DC 30W 2700K 25° 0-10V White (TYPE-2)	DL25102514655
XB.WP.213242F20310	WASHER PRO MICRO DC 30W 2700K 40° 0-10V White (TYPE-2)	DL25102514755
XB.WP.213242G20310	WASHER PRO MICRO DC 30W 2700K 55°x15° 0-10V White (TYPE-2)	DL25102514855
XB.WP.213243D20310	WASHER PRO MICRO DC 30W 3000K 5° 0-10V White (TYPE-2)	DL25102514955
XB.WP.213243520310	WASHER PRO MICRO DC 30W 3000K 15° 0-10V White (TYPE-2)	DL25102515055
XB.WP.213243E20310	WASHER PRO MICRO DC 30W 3000K 25° 0-10V White (TYPE-2)	DL25102515155
XB.WP.213243F20310	WASHER PRO MICRO DC 30W 3000K 40° 0-10V White (TYPE-2)	DL25102515255
XB.WP.213243G20310	WASHER PRO MICRO DC 30W 3000K 55°x15° 0-10V White (TYPE-2)	DL25102515355
XB.WP.213245D20310	WASHER PRO MICRO DC 30W 4000K 5° 0-10V White (TYPE-2)	DL25102515455
XB.WP.213245520310	WASHER PRO MICRO DC 30W 4000K 15° 0-10V White (TYPE-2)	DL25102515555
XB.WP.213245E20310	WASHER PRO MICRO DC 30W 4000K 25° 0-10V White (TYPE-2)	DL25102515655
XB.WP.213245F20310	WASHER PRO MICRO DC 30W 4000K 40° 0-10V White (TYPE-2)	DL25102515755
XB.WP.213245G20310	WASHER PRO MICRO DC 30W 4000K 55°x15° 0-10V White (TYPE-2)	DL25102515855
XB.WP.213248D20310	WASHER PRO MICRO DC 30W 5700K 5° 0-10V White (TYPE-2)	DL25102515955
XB.WP.213248520310	WASHER PRO MICRO DC 30W 5700K 15° 0-10V White (TYPE-2)	DL25102516055
XB.WP.213248E20310	WASHER PRO MICRO DC 30W 5700K 25° 0-10V White (TYPE-2)	DL25102516155
XB.WP.213248F20310	WASHER PRO MICRO DC 30W 5700K 40° 0-10V White (TYPE-2)	DL25102516255
XB.WP.213248G20310	WASHER PRO MICRO DC 30W 5700K 55°x15° 0-10V White (TYPE-2)	DL25102516355
XB.WP.213249D20310	WASHER PRO MICRO DC 30W 6500K 5° 0-10V White (TYPE-2)	DL25102516455
XB.WP.213249520310	WASHER PRO MICRO DC 30W 6500K 15° 0-10V White (TYPE-2)	DL25102516555
XB.WP.213249E20310	WASHER PRO MICRO DC 30W 6500K 25° 0-10V White (TYPE-2)	DL25102516655
XB.WP.213249F20310	WASHER PRO MICRO DC 30W 6500K 40° 0-10V White (TYPE-2)	DL25102516755
XB.WP.213249G20310	WASHER PRO MICRO DC 30W 6500K 55°x15° 0-10V White (TYPE-2)	DL25102516855
XB.WP.213244D20010	WASHER PRO MICRO DC 30W 3500K 5° 0-10V (TYPE-2)	DL25102535455
XB.WP.213244520010	WASHER PRO MICRO DC 30W 3500K 15° 0-10V (TYPE-2)	DL25102535555
XB.WP.213244E20010	WASHER PRO MICRO DC 30W 3500K 25° 0-10V (TYPE-2)	DL25102535655
XB.WP.213244F20010	WASHER PRO MICRO DC 30W 3500K 40° 0-10V (TYPE-2)	DL25102535755
XB.WP.213244G20010	WASHER PRO MICRO DC 30W 3500K 55°x15° 0-10V (TYPE-2)	DL25102535855
XB.WP.213244D20110	WASHER PRO MICRO DC 30W 3500K 5° 0-10V Gray (TYPE-2)	DL25102539455

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.213244520110	WASHER PRO MICRO DC 30W 3500K 15° 0-10V Gray (TYPE-2)	DL25102539555
XB.WP.213244E20110	WASHER PRO MICRO DC 30W 3500K 25° 0-10V Gray (TYPE-2)	DL25102539655
XB.WP.213244F20110	WASHER PRO MICRO DC 30W 3500K 40° 0-10V Gray (TYPE-2)	DL25102539755
XB.WP.213244G20110	WASHER PRO MICRO DC 30W 3500K 55°x15° 0-10V Gray (TYPE-2)	DL25102539855
XB.WP.213244D20210	WASHER PRO MICRO DC 30W 3500K 5° 0-10V Black (TYPE-2)	DL25102543455
XB.WP.213244E20210	WASHER PRO MICRO DC 30W 3500K 15° 0-10V Black (TYPE-2)	DL25102543555
XB.WP.213244F20210	WASHER PRO MICRO DC 30W 3500K 25° 0-10V Black (TYPE-2)	DL25102543655
XB.WP.213244F20210	WASHER PRO MICRO DC 30W 3500K 40° 0-10V Black (TYPE-2)	DL25102543755
XB.WP.213244G20210	WASHER PRO MICRO DC 30W 3500K 55°x15° 0-10V Black (TYPE-2)	DL25102543855
XB.WP.213244D20310	WASHER PRO MICRO DC 30W 3500K 5° 0-10V White (TYPE-2)	DL25102547455
XB.WP.213244520310	WASHER PRO MICRO DC 30W 3500K 15° 0-10V White (TYPE-2)	DL25102547555
XB.WP.213244E20310	WASHER PRO MICRO DC 30W 3500K 25° 0-10V White (TYPE-2)	DL25102547655
XB.WP.213244F20310	WASHER PRO MICRO DC 30W 3500K 40° 0-10V White (TYPE-2)	DL25102547755
XB.WP.213244G20310	WASHER PRO MICRO DC 30W 3500K 55°x15° 0-10V White (TYPE-2)	DL25102547855

Cable/Connector for DC fixture

Model No.	Description	Item Code
CA.SC.CC101000	STARTER CABLE TYPE-2 DC 4-PIN 1M	DA23100027555
CA.SC.CC103000	STARTER CABLE TYPE-2 DC 4-PIN 3M	DA23100027655
CA.SC.CC105000	STARTER CABLE TYPE-2 DC 4-PIN 5M	DA23100027755
CA.SC.CC110000	STARTER CABLE TYPE-2 DC 4-PIN 10M	DA23100027855
CA.IC.CC101000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 1M	DA23100027955
CA.IC.CC103000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 3M	DA23100028055
CA.IC.CC105000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 5M	DA23100028155
CA.IC.CC110000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 10M	DA23100028255
CA.PI.CC100000	POWER INJECTOR CABLE TYPE-2 DC 4-PIN	DA23100150155
CA.SC.CC401000	STARTER CABLE TYPE-2 DC 2-PIN 1M	DA23100166455
CA.SC.CC403000	STARTER CABLE TYPE-2 DC 2-PIN 3M	DA23100166555
CA.SC.CC405000	STARTER CABLE TYPE-2 DC 2-PIN 5M	DA23100166655
CA.SC.CC410000	STARTER CABLE TYPE-2 DC 2-PIN 10M	DA23100166755
CA.EC.CC100000	END CAP TYPE-2 DC 4/5-PIN W/TERM	DA23100028355
CA.IC.CCC01000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 1M 0-10V	DA25102438055
CA.IC.CCC03000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 3M 0-10V	DA25102438155
CA.IC.CCC05000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 5M 0-10V	DA25102438255
CA.IC.CCC10000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 10M 0-10V	DA25102438355
CA.SC.CCC01000	STARTER CABLE TYPE-2 DC 4-PIN 1M 0-10V	DA25102438455
CA.SC.CCC03000	STARTER CABLE TYPE-2 DC 4-PIN 3M 0-10V	DA25102438555
CA.SC.CCC05000	STARTER CABLE TYPE-2 DC 4-PIN 5M 0-10V	DA25102438655
CA.SC.CCC10000	STARTER CABLE TYPE-2 DC 4-PIN 10M 0-10V	DA25102438755
CA.PI.CCC00000	POWER INJECTOR CABLE TYPE-2 DC 4-PIN 0-10V	DA25102438855
N / A	TYPE-2 END CAP WO/TERM	DA26104856655

NOTE: The term TYPE-2 mentioned above in the description represents the CC Connector.

Spread Lens

Model No.	Description	Item Code
WP.SM.209000	W PRO WHITE SL KIT 55° MICRO	DL24102286255
WP.SM.210000	W PRO WHITE SL KIT 70° MICRO	DL24102286755
WP.SM.211000	W PRO WHITE SL KIT 85° MICRO	DL24102287255
WP.SM.212000	W PRO WHITE SL KIT 60°x20° MICRO	DL24102287755

Glare Shield

Model No.	Description	Item Code
WP.AG.200000	W PRO GS ANGLED MICRO COVER	DA23100030555
WP.FG.200000	W PRO GS FULL MICRO COVER	DA23100031355
WP.AG.200100	W PRO GS ANGLED MICRO COVER Gray	DA23100150355
WP.FG.200100	W PRO GS FULL MICRO COVER Gray	DA23100150855
WP.AG.200200	W PRO GS ANGLED MICRO COVER Black	DA23100151355
WP.FG.200200	W PRO GS FULL MICRO COVER Black	DA23100151855
WP.AG.200300	W PRO GS ANGLED MICRO COVER White	DA23100152355
WP.FG.200300	W PRO GS FULL MICRO COVER White	DA23100152855

Rotatable Mount Plate

Model No.	Description	Item Code
WP.RP.200000	W PRO RP MICRO	DA23100032655
WP.RP.200100	W PRO RP MICRO Gray	DA23100154255
WP.RP.200200	W PRO RP MICRO Black	DA23100154655
WP.RP.200300	W PRO RP MICRO White	DA23100155055

Tree Ring Mount

Model No.	Description	Item Code
WP.TRA00000	W PRO TREE RING	DA24102288155
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT	DA24102288255
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT FOR RP	DA24102288355

Stake Mount

Model No.	Description	Item Code
WP.ST.200000	W PRO STAKE KIT MICRO	DA24102307555

Others

Model No.	Description	Item Code
By request	Post Mount	On demand / Coming soon
On demand / Coming soon	Compression Post Mount	On demand / Coming soon
On demand / Coming soon	Extendable Mounting Arm	On demand / Coming soon
On demand / Coming soon	Pendant Mount	On demand / Coming soon



TRAXON | ecue

MEMBER OF PROSPERITY GROUP

www.traxon-ecue.com

©2026 TRAXON TECHNOLOGIES. ALL RIGHTS RESERVED.
SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ERRORS AND OMISSION EXCEPTED.