



TRAXON Pro^{*}

Washer Pro Nano DC White




The Washer Pro Nano is our minimum-sized offering delivering high brightness from a small form factor. Whether enhancing architecture or creating the perfect ambiance, the expanded range of seven CCTs offers greater flexibility, sharper color rendering, and an elevated visual experience.

Features

- DMX 512 / RDM and 0-10V control enabled
- Control in 8 Bit or 16 Bit for fine color adjustments
- CRI 90 options available for 2700K – 4000K
- Available in a variety of customized output options (by request)

Dimensions



Project: _____

Type: _____



IP66



COAST



ANSI 3G



IK08




0-10V




DMX 512


Color Options



Beam Angles



Finish



Product Specifications

Model	Washer Pro Nano DC White
Light Source	White LED
Color Range	2200K, 2700K, 3000K, 3500K, 4000K, 5700K, 6500K
LED Quantity	1pcs
Luminous Flux	900 lm (full on 4000K 15°)
Candela	5735 cd (full on 4000K 15°)
Efficacy	90 lm/W (full on 4000K 15°)
CRI *	80 / 90
SDCM	3
Beam Angles ¹	5°, 15°, 25°, 40°, 55° x 15° native 55°, 70°, 85°, 60° x 20° (or 20° x 60°) with spread lens accessory
Cover Lens	Tempered Glass
Housing	Die Cast Aluminum
Housing Finish Options ²	Traxon Signature Gray (RAL7005), Gray, RAL7015, Black (RAL9005) White (RAL9003) Custom RAL colors by request
Adjustment Options	-5° to + 95°
Mounting	Mounting via Yoke arm. Optional mounting accessories are available
Dimensions (W x D x H)	98mm / 3.9" x 113mm / 4.4" x 141mm / 5.6"
Weight	0.72kg / 1.6lbs
EPA	Front: 0.15 sq.ft Side: 0.14 sq.ft
Regulatory Listing & Safety Approval	CE, UKCA, cETLus, FCC, ANSI C136.31-3G
Operating Temperature	-30°C to +55°C (-22°F to +131°F)
Minimum Starting Temperature	-20°C (-4°F)
Storage Temperature	-40°C to +80°C (-40°F to +176°F)
Environment	Outdoor, IP66, IK08, Coastal Environment (ASTM B117-16)
Humidity	85%, non-condensing

Electrical Specifications

Input Voltage	24V DC
Power Consumption ³	10 W
Lumen Maintenance	L70 81000hrs @ 25°C

System Specifications

Power	CE market: LED Engine 24V ETL market: LED Engine 24V (Class 2)
Control ⁴	DMX 512, RDM Enabled 0-10V
Power Supply	Integrated
Maximum number of daisy chain fixture per input power line ⁵	9PCS@24V DC (ETL) with Class 2 PSU 19PCS@24V DC (CE)
Addressing Options	Auto-addressing or Manual-addressing via RDM

*: 2200K available in 70CRI. CRI90 options available for 2700K - 4000K.

1. Spread lens assembled using 15° fixture.

2. Custom RAL Housing available by request. MOQ and additional costs may apply. Consult with your regional Traxon Office for more information.

3. The power can be set in the factory to achieve a fixed maximum power output to match project specifications and environmental targets (Washer Pro Nano: 10W-12W).

4. 0-10V dim to ~ 5-10%.

5. DMX version data.

LED CHARACTERISTICS Because LEDs are semiconductor devices, their performances are subject to inherent variability commonly found in semiconductor industry. To improve consistency in performance across the same product, LED manufacturers "sort" LEDs into bins according to different preset parameters, such as forward driving voltage, illumination, etc. Whereas binning is a sorting function, it is not a correction process. Inherent variability in the manufacturing process results always in different binning distributions according to different production lots. Traxon uses automatically binned LEDs on its products, thereby minimizing output variations within the model range.

As with all electronic devices, LED output degrades over time – a term called lumen depreciation. This also explains why it is nearly impossible to expect photometric performances of two LED products with different service life spans to be the same. The rate of LED degrade is a complicated function of many factors such as operating efficiency, duration of continuous operation, and more significantly, environmental conditions (ambient temperature for example). If allowed working under optimal operating temperature range and with good ventilation, LED devices enjoy long service lives over conventional light sources. When using/installing LED devices, care should be taken to ensure that the devices will operate within the operating conditions specified in respective product literature.


Lumen measurement complies with LM-79-08 standard.

Lumen maintenance is calculated based on LM-80 compliant measurement.

Source Specifications

Source	White LED (CRI 80)
Optics	15°

Candela Distribution



Light Output

Color	Luminous Flux (lm)	Center Intensity (cd)	Efficacy (lm/W)
2200K	720.0	4588	72
2700K	756.0	4817	76
3000K	810.0	5161	81
3500K	810.0	5161	81
4000K	900.0	5735	90
5700K	900.0	5735	90
6500K	900.0	5735	90

Illuminance at a Distance

	Center Beam LUX/klm	Beam Width	
5m	846	0.91m / 3'	16.4'
10m	212	1.82m / 6'	32.8'
15m	94	2.73m / 9'	49.2'
20m	53	3.64m / 11.9'	65.6'
25m	34	4.55m / 14.9'	82'
30m	24	5.46m / 17.9'	98.4'


For fo divide by 10.7

■ Horiz.Spread: 10.4°

IES and LDT files are available for download from the Traxon website.

Color	Distance	Illuminance	
		LUX	FC
2200K	5m / 16.4'	609	57
	10m / 32.8'	153	14
	15m / 49.2'	68	6
	20m / 65.6'	38	4
	25m / 82'	24	2
	30m / 98.4'	17	2
2700K	5m / 16.4'	640	60
	10m / 32.8'	160	15
	15m / 49.2'	71	7
	20m / 65.6'	40	4
	25m / 82'	26	2
	30m / 98.4'	18	2
3000K	5m / 16.4'	685	64
	10m / 32.8'	172	16
	15m / 49.2'	76	7
	20m / 65.6'	43	4
	25m / 82'	28	3
	30m / 98.4'	19	2
3500K	5m / 16.4'	685	64
	10m / 32.8'	172	16
	15m / 49.2'	76	7
	20m / 65.6'	43	4
	25m / 82'	28	3
	30m / 98.4'	19	2
4000K	5m / 16.4'	761	71
	10m / 32.8'	191	18
	15m / 49.2'	85	8
	20m / 65.6'	48	4
	25m / 82'	31	3
	30m / 98.4'	22	2
5700K	5m / 16.4'	761	71
	10m / 32.8'	191	18
	15m / 49.2'	85	8
	20m / 65.6'	48	4
	25m / 82'	31	3
	30m / 98.4'	22	2
6500K	5m / 16.4'	761	71
	10m / 32.8'	191	18
	15m / 49.2'	85	8
	20m / 65.6'	48	4
	25m / 82'	31	3
	30m / 98.4'	22	2


Fixture



Optical Accessories

Spread Lens Kit


Model No.	Description	Item Code
WP.SM.109000	W PRO WHITE SL KIT 55° NANO	DL24102286155
WP.SM.110000	W PRO WHITE SL KIT 70° NANO	DL24102286655
WP.SM.111000	W PRO WHITE SL KIT 85° NANO	DL24102287155
WP.SM.112000	W PRO WHITE SL KIT 60°x20° NANO	DL24102287655




Optical Accessories

Glare Shield

Model No.	Description	Item Code
WP.AG.100000	W PRO GS ANGLED NANO COVER	DA23100030455
WP.AG.100100	W PRO GS ANGLED NANO COVER Gray	DA23100150255
WP.AG.100200	W PRO GS ANGLED NANO COVER Black	DA23100151255
WP.AG.100300	W PRO GS ANGLED NANO COVER White	DA23100152255




Model No.	Description	Item Code
WP.FG.100000	W PRO GS FULL NANO COVER	DA23100031255
WP.FG.100100	W PRO GS FULL NANO COVER Gray	DA23100150755
WP.FG.100200	W PRO GS FULL NANO COVER Black	DA23100151755
WP.FG.100300	W PRO GS FULL NANO COVER White	DA23100152755



Mounting Accessories

Rotatable Mount Plate




Model No.	Description	Item Code
WP.RP.100000	W PRO RP NANO	DA23100032555
WP.RP.100100	W PRO RP NANO Gray	DA23100154155
WP.RP.100200	W PRO RP NANO Black	DA23100154555
WP.RP.100300	W PRO RP NANO White	DA23100154955



Mounting Accessories




Tree Mount Accessories

Model No.	Description	Item Code
WP.TRA00000	W PRO TREE RING	DA24102288155
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT	DA24102288255
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT FOR RP	DA24102288355




Stake Mount

Model No.	Description	Item Code
WP.ST.100000	W PRO STAKE KIT NANO	DA24102307455




Connection Accessories


DMX 4-PIN Starter Cable TYPE-2 DC (CE & ETL) (CA.SC.CC101000 / CA.SC.CC103000 / CA.SC.CC105000 / CA.SC.CC110000)



DMX Power Injector Starter Cable TYPE-2 DC (CE & ETL) (CA.SC.CC401000 / CA.SC.CC403000 / CA.SC.CC405000 / CA.SC.CC410000)




DMX Interconnection Cable TYPE-2 DC (CE & ETL) (CA.IC.CC101000 / CA.IC.CC103000 / CA.IC.CC105000 / CA.IC.CC110000)




Connection Accessories


DMX Power Injector Cable TYPE-2 DC (CE & ETL) (CA.PI.CC100000)



End Cap TYPE-2 DC 4/5-PIN With Terminator (CE & ETL) (CA.EC.CC100000)




0-10V Starter Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.SC.CCC01000 / CA.SC.CCC03000 / CA.SC.CCC05000 / CA.SC.CCC10000)




Connection Accessories


0-10V Interconnection Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.IC.CCC01000 / CA.IC.CCC03000 / CA.IC.CCC05000 / CA.IC.CCC10000)



0-10V Power Injector Cable TYPE-2 DC 4-PIN (CE & ETL) (CA.PI.CCC00000)




TYPE-2 End Cap Without Terminator (CE & ETL) (DA26104856655)




Surface Mounting

Install expansion screws on the fixed surface




The size of the bracket mounting holes determines the size of the holes to be punched.


Fix the bracket




Adjust desired angles




Tighten the bracket bolts to fix the luminaire to the desired angle



DMX Wiring Diagram



0-10V Wiring Diagram



Model Number Builder

XB.	WP.	1	1	1	NN	N	N	N	O	N	N	O
		Housing Size	DC / AC	Wattage	LED	CCT	Optics/ Beam**	Control	Approbation	Color Finish	Cable / Connector	
		1 - Nano	1 - DC 24V	1 - 10W*	24 - White	1 - 2200K	D - 5°	0 - DMX / RDM	0 - CE & cETLus	0 - TX Gray	1 - With TYPE-2 connector	
					27 - White (CRI90)	2 - 2700K	5 - 15°	2 - 0-10V		1 - Gray	7 - Without connector	
						3 - 3000K	E - 25°			2 - Black		
						4 - 3500K	F - 40°			3 - White		
						5 - 4000K	G - 55°x15°			C - Custom		
						8 - 5700K						
						9 - 6500K						

*The power can be set in the factory to achieve a fixed maximum power output to match project specifications and environmental targets (Washer Pro Nano: 10W-12W).
 **Additional beams through the use of Spread lens accessory with a 15° fixture.

Project Model Number

XB.	WP.	1	1	1					O			O
-----	-----	---	---	---	--	--	--	--	---	--	--	---

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.111241D00010	WASHER PRO NANO DC 10W 2200K 5° (TYPE-2)	DL24102190155
XB.WP.111241500010	WASHER PRO NANO DC 10W 2200K 15° (TYPE-2)	DL24102190255
XB.WP.111241E00010	WASHER PRO NANO DC 10W 2200K 25° (TYPE-2)	DL24102190355
XB.WP.111241F00010	WASHER PRO NANO DC 10W 2200K 40° (TYPE-2)	DL24102190455
XB.WP.111241G00010	WASHER PRO NANO DC 10W 2200K 55°x15° (TYPE-2)	DL24102190555
XB.WP.111242D00010	WASHER PRO NANO DC 10W 2700K 5° (TYPE-2)	DL24102190655
XB.WP.111242500010	WASHER PRO NANO DC 10W 2700K 15° (TYPE-2)	DL24102190755
XB.WP.111242E00010	WASHER PRO NANO DC 10W 2700K 25° (TYPE-2)	DL24102190855
XB.WP.111242F00010	WASHER PRO NANO DC 10W 2700K 40° (TYPE-2)	DL24102190955
XB.WP.111242G00010	WASHER PRO NANO DC 10W 2700K 55°x15° (TYPE-2)	DL24102191055
XB.WP.111243D00010	WASHER PRO NANO DC 10W 3000K 5° (TYPE-2)	DL24102191155
XB.WP.111243500010	WASHER PRO NANO DC 10W 3000K 15° (TYPE-2)	DL24102191255
XB.WP.111243E00010	WASHER PRO NANO DC 10W 3000K 25° (TYPE-2)	DL24102191355
XB.WP.111243F00010	WASHER PRO NANO DC 10W 3000K 40° (TYPE-2)	DL24102191455
XB.WP.111243G00010	WASHER PRO NANO DC 10W 3000K 55°x15° (TYPE-2)	DL24102191555
XB.WP.111244D00010	WASHER PRO NANO DC 10W 3500K 5° (TYPE-2)	DL24102307755
XB.WP.111244500010	WASHER PRO NANO DC 10W 3500K 15° (TYPE-2)	DL24102307855
XB.WP.111244E00010	WASHER PRO NANO DC 10W 3500K 25° (TYPE-2)	DL24102307955
XB.WP.111244F00010	WASHER PRO NANO DC 10W 3500K 40° (TYPE-2)	DL24102308055
XB.WP.111244G00010	WASHER PRO NANO DC 10W 3500K 55°x15° (TYPE-2)	DL24102308155
XB.WP.111245D00010	WASHER PRO NANO DC 10W 4000K 5° (TYPE-2)	DL24102191655
XB.WP.111245500010	WASHER PRO NANO DC 10W 4000K 15° (TYPE-2)	DL24102191755
XB.WP.111245E00010	WASHER PRO NANO DC 10W 4000K 25° (TYPE-2)	DL24102191855
XB.WP.111245F00010	WASHER PRO NANO DC 10W 4000K 40° (TYPE-2)	DL24102191955
XB.WP.111245G00010	WASHER PRO NANO DC 10W 4000K 55°x15° (TYPE-2)	DL24102192055
XB.WP.111248D00010	WASHER PRO NANO DC 10W 5700K 5° (TYPE-2)	DL24102192155
XB.WP.111248500010	WASHER PRO NANO DC 10W 5700K 15° (TYPE-2)	DL24102192255
XB.WP.111248E00010	WASHER PRO NANO DC 10W 5700K 25° (TYPE-2)	DL24102192355
XB.WP.111248F00010	WASHER PRO NANO DC 10W 5700K 40° (TYPE-2)	DL24102192455
XB.WP.111248G00010	WASHER PRO NANO DC 10W 5700K 55°x15° (TYPE-2)	DL24102192555
XB.WP.111249D00010	WASHER PRO NANO DC 10W 6500K 5° (TYPE-2)	DL24102192655
XB.WP.111249500010	WASHER PRO NANO DC 10W 6500K 15° (TYPE-2)	DL24102192755
XB.WP.111249E00010	WASHER PRO NANO DC 10W 6500K 25° (TYPE-2)	DL24102192855

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.111249F00010	WASHER PRO NANO DC 10W 6500K 40° (TYPE-2)	DL24102192955
XB.WP.111249G00010	WASHER PRO NANO DC 10W 6500K 55°x15° (TYPE-2)	DL24102193055
XB.WP.111241D00110	WASHER PRO NANO DC 10W 2200K 5° Gray (TYPE-2)	DL24102214155
XB.WP.111241500110	WASHER PRO NANO DC 10W 2200K 15° Gray (TYPE-2)	DL24102214255
XB.WP.111241E00110	WASHER PRO NANO DC 10W 2200K 25° Gray (TYPE-2)	DL24102214355
XB.WP.111241F00110	WASHER PRO NANO DC 10W 2200K 40° Gray (TYPE-2)	DL24102214455
XB.WP.111241G00110	WASHER PRO NANO DC 10W 2200K 55°x15° Gray (TYPE-2)	DL24102214555
XB.WP.111242D00110	WASHER PRO NANO DC 10W 2700K 5° Gray (TYPE-2)	DL24102214655
XB.WP.111242500110	WASHER PRO NANO DC 10W 2700K 15° Gray (TYPE-2)	DL24102214755
XB.WP.111242E00110	WASHER PRO NANO DC 10W 2700K 25° Gray (TYPE-2)	DL24102214855
XB.WP.111242F00110	WASHER PRO NANO DC 10W 2700K 40° Gray (TYPE-2)	DL24102214955
XB.WP.111242G00110	WASHER PRO NANO DC 10W 2700K 55°x15° Gray (TYPE-2)	DL24102215055
XB.WP.111243D00110	WASHER PRO NANO DC 10W 3000K 5° Gray (TYPE-2)	DL24102215155
XB.WP.111243500110	WASHER PRO NANO DC 10W 3000K 15° Gray (TYPE-2)	DL24102215255
XB.WP.111243E00110	WASHER PRO NANO DC 10W 3000K 25° Gray (TYPE-2)	DL24102215355
XB.WP.111243F00110	WASHER PRO NANO DC 10W 3000K 40° Gray (TYPE-2)	DL24102215455
XB.WP.111243G00110	WASHER PRO NANO DC 10W 3000K 55°x15° Gray (TYPE-2)	DL24102215555
XB.WP.111244D00110	WASHER PRO NANO DC 10W 3500K 5° Gray (TYPE-2)	DL24102311755
XB.WP.111244500110	WASHER PRO NANO DC 10W 3500K 15° Gray (TYPE-2)	DL24102311855
XB.WP.111244E00110	WASHER PRO NANO DC 10W 3500K 25° Gray (TYPE-2)	DL24102311955
XB.WP.111244F00110	WASHER PRO NANO DC 10W 3500K 40° Gray (TYPE-2)	DL24102312055
XB.WP.111244G00110	WASHER PRO NANO DC 10W 3500K 55°x15° Gray (TYPE-2)	DL24102312155
XB.WP.111245D00110	WASHER PRO NANO DC 10W 4000K 5° Gray (TYPE-2)	DL24102215655
XB.WP.111245500110	WASHER PRO NANO DC 10W 4000K 15° Gray (TYPE-2)	DL24102215755
XB.WP.111245E00110	WASHER PRO NANO DC 10W 4000K 25° Gray (TYPE-2)	DL24102215855
XB.WP.111245F00110	WASHER PRO NANO DC 10W 4000K 40° Gray (TYPE-2)	DL24102215955
XB.WP.111245G00110	WASHER PRO NANO DC 10W 4000K 55°x15° Gray (TYPE-2)	DL24102216055
XB.WP.111248D00110	WASHER PRO NANO DC 10W 5700K 5° Gray (TYPE-2)	DL24102216155
XB.WP.111248500110	WASHER PRO NANO DC 10W 5700K 15° Gray (TYPE-2)	DL24102216255
XB.WP.111248E00110	WASHER PRO NANO DC 10W 5700K 25° Gray (TYPE-2)	DL24102216355
XB.WP.111248F00110	WASHER PRO NANO DC 10W 5700K 40° Gray (TYPE-2)	DL24102216455
XB.WP.111248G00110	WASHER PRO NANO DC 10W 5700K 55°x15° Gray (TYPE-2)	DL24102216555
XB.WP.111249D00110	WASHER PRO NANO DC 10W 6500K 5° Gray (TYPE-2)	DL24102216655
XB.WP.111249500110	WASHER PRO NANO DC 10W 6500K 15° Gray (TYPE-2)	DL24102216755
XB.WP.111249E00110	WASHER PRO NANO DC 10W 6500K 25° Gray (TYPE-2)	DL24102216855
XB.WP.111249F00110	WASHER PRO NANO DC 10W 6500K 40° Gray (TYPE-2)	DL24102216955
XB.WP.111249G00110	WASHER PRO NANO DC 10W 6500K 55°x15° Gray (TYPE-2)	DL24102217055
XB.WP.111241D00210	WASHER PRO NANO DC 10W 2200K 5° Black (TYPE-2)	DL24102238155
XB.WP.111241500210	WASHER PRO NANO DC 10W 2200K 15° Black (TYPE-2)	DL24102238255
XB.WP.111241E00210	WASHER PRO NANO DC 10W 2200K 25° Black (TYPE-2)	DL24102238355
XB.WP.111241F00210	WASHER PRO NANO DC 10W 2200K 40° Black (TYPE-2)	DL24102238455
XB.WP.111241G00210	WASHER PRO NANO DC 10W 2200K 55°x15° Black (TYPE-2)	DL24102238555
XB.WP.111242D00210	WASHER PRO NANO DC 10W 2700K 5° Black (TYPE-2)	DL24102238655
XB.WP.111242500210	WASHER PRO NANO DC 10W 2700K 15° Black (TYPE-2)	DL24102238755
XB.WP.111242E00210	WASHER PRO NANO DC 10W 2700K 25° Black (TYPE-2)	DL24102238855
XB.WP.111242F00210	WASHER PRO NANO DC 10W 2700K 40° Black (TYPE-2)	DL24102238955
XB.WP.111242G00210	WASHER PRO NANO DC 10W 2700K 55°x15° Black (TYPE-2)	DL24102239055

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.111243D00210	WASHER PRO NANO DC 10W 3000K 5° Black (TYPE-2)	DL24102239155
XB.WP.111243500210	WASHER PRO NANO DC 10W 3000K 15° Black (TYPE-2)	DL24102239255
XB.WP.111243E00210	WASHER PRO NANO DC 10W 3000K 25° Black (TYPE-2)	DL24102239355
XB.WP.111243F00210	WASHER PRO NANO DC 10W 3000K 40° Black (TYPE-2)	DL24102239455
XB.WP.111243G00210	WASHER PRO NANO DC 10W 3000K 55°x15° Black (TYPE-2)	DL24102239555
XB.WP.111244D00210	WASHER PRO NANO DC 10W 3500K 5° Black (TYPE-2)	DL24102315755
XB.WP.111244500210	WASHER PRO NANO DC 10W 3500K 15° Black (TYPE-2)	DL24102315855
XB.WP.111244E00210	WASHER PRO NANO DC 10W 3500K 25° Black (TYPE-2)	DL24102315955
XB.WP.111244F00210	WASHER PRO NANO DC 10W 3500K 40° Black (TYPE-2)	DL24102316055
XB.WP.111244G00210	WASHER PRO NANO DC 10W 3500K 55°x15° Black (TYPE-2)	DL24102316155
XB.WP.111245D00210	WASHER PRO NANO DC 10W 4000K 5° Black (TYPE-2)	DL24102239655
XB.WP.111245500210	WASHER PRO NANO DC 10W 4000K 15° Black (TYPE-2)	DL24102239755
XB.WP.111245E00210	WASHER PRO NANO DC 10W 4000K 25° Black (TYPE-2)	DL24102239855
XB.WP.111245F00210	WASHER PRO NANO DC 10W 4000K 40° Black (TYPE-2)	DL24102239955
XB.WP.111245G00210	WASHER PRO NANO DC 10W 4000K 55°x15° Black (TYPE-2)	DL24102240055
XB.WP.111248D00210	WASHER PRO NANO DC 10W 5700K 5° Black (TYPE-2)	DL24102240155
XB.WP.111248500210	WASHER PRO NANO DC 10W 5700K 15° Black (TYPE-2)	DL24102240255
XB.WP.111248E00210	WASHER PRO NANO DC 10W 5700K 25° Black (TYPE-2)	DL24102240355
XB.WP.111248F00210	WASHER PRO NANO DC 10W 5700K 40° Black (TYPE-2)	DL24102240455
XB.WP.111248G00210	WASHER PRO NANO DC 10W 5700K 55°x15° Black (TYPE-2)	DL24102240555
XB.WP.111249D00210	WASHER PRO NANO DC 10W 6500K 5° Black (TYPE-2)	DL24102240655
XB.WP.111249500210	WASHER PRO NANO DC 10W 6500K 15° Black (TYPE-2)	DL24102240755
XB.WP.111249E00210	WASHER PRO NANO DC 10W 6500K 25° Black (TYPE-2)	DL24102240855
XB.WP.111249F00210	WASHER PRO NANO DC 10W 6500K 40° Black (TYPE-2)	DL24102240955
XB.WP.111249G00210	WASHER PRO NANO DC 10W 6500K 55°x15° Black (TYPE-2)	DL24102241055
XB.WP.111241D00310	WASHER PRO NANO DC 10W 2200K 5° White (TYPE-2)	DL24102262155
XB.WP.111241500310	WASHER PRO NANO DC 10W 2200K 15° White (TYPE-2)	DL24102262255
XB.WP.111241E00310	WASHER PRO NANO DC 10W 2200K 25° White (TYPE-2)	DL24102262355
XB.WP.111241F00310	WASHER PRO NANO DC 10W 2200K 40° White (TYPE-2)	DL24102262455
XB.WP.111241G00310	WASHER PRO NANO DC 10W 2200K 55°x15° White (TYPE-2)	DL24102262555
XB.WP.111242D00310	WASHER PRO NANO DC 10W 2700K 5° White (TYPE-2)	DL24102262655
XB.WP.111242500310	WASHER PRO NANO DC 10W 2700K 15° White (TYPE-2)	DL24102262755
XB.WP.111242E00310	WASHER PRO NANO DC 10W 2700K 25° White (TYPE-2)	DL24102262855
XB.WP.111242F00310	WASHER PRO NANO DC 10W 2700K 40° White (TYPE-2)	DL24102262955
XB.WP.111242G00310	WASHER PRO NANO DC 10W 2700K 55°x15° White (TYPE-2)	DL24102263055
XB.WP.111243D00310	WASHER PRO NANO DC 10W 3000K 5° White (TYPE-2)	DL24102263155
XB.WP.111243500310	WASHER PRO NANO DC 10W 3000K 15° White (TYPE-2)	DL24102263255
XB.WP.111243E00310	WASHER PRO NANO DC 10W 3000K 25° White (TYPE-2)	DL24102263355
XB.WP.111243F00310	WASHER PRO NANO DC 10W 3000K 40° White (TYPE-2)	DL24102263455
XB.WP.111243G00310	WASHER PRO NANO DC 10W 3000K 55°x15° White (TYPE-2)	DL24102263555
XB.WP.111244D00310	WASHER PRO NANO DC 10W 3500K 5° White (TYPE-2)	DL24102319755
XB.WP.111244500310	WASHER PRO NANO DC 10W 3500K 15° White (TYPE-2)	DL24102319855
XB.WP.111244E00310	WASHER PRO NANO DC 10W 3500K 25° White (TYPE-2)	DL24102319955
XB.WP.111244F00310	WASHER PRO NANO DC 10W 3500K 40° White (TYPE-2)	DL24102320055
XB.WP.111244G00310	WASHER PRO NANO DC 10W 3500K 55°x15° White (TYPE-2)	DL24102320155

Fixtures - DMX / RDM

Model No.	Description	Item Code
XB.WP.111245D00310	WASHER PRO NANO DC 10W 4000K 5° White (TYPE-2)	DL24102263655
XB.WP.111245500310	WASHER PRO NANO DC 10W 4000K 15° White (TYPE-2)	DL24102263755
XB.WP.111245E00310	WASHER PRO NANO DC 10W 4000K 25° White (TYPE-2)	DL24102263855
XB.WP.111245F00310	WASHER PRO NANO DC 10W 4000K 40° White (TYPE-2)	DL24102263955
XB.WP.111245G00310	WASHER PRO NANO DC 10W 4000K 55°x15° White (TYPE-2)	DL24102264055
XB.WP.111248D00310	WASHER PRO NANO DC 10W 5700K 5° White (TYPE-2)	DL24102264155
XB.WP.111248500310	WASHER PRO NANO DC 10W 5700K 15° White (TYPE-2)	DL24102264255
XB.WP.111248E00310	WASHER PRO NANO DC 10W 5700K 25° White (TYPE-2)	DL24102264355
XB.WP.111248F00310	WASHER PRO NANO DC 10W 5700K 40° White (TYPE-2)	DL24102264455
XB.WP.111248G00310	WASHER PRO NANO DC 10W 5700K 55°x15° White (TYPE-2)	DL24102264555
XB.WP.111249D00310	WASHER PRO NANO DC 10W 6500K 5° White (TYPE-2)	DL24102264655
XB.WP.111249500310	WASHER PRO NANO DC 10W 6500K 15° White (TYPE-2)	DL24102264755
XB.WP.111249E00310	WASHER PRO NANO DC 10W 6500K 25° White (TYPE-2)	DL24102264855
XB.WP.111249F00310	WASHER PRO NANO DC 10W 6500K 40° White (TYPE-2)	DL24102264955
XB.WP.111249G00310	WASHER PRO NANO DC 10W 6500K 55°x15° White (TYPE-2)	DL24102265055

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.111241D20010	WASHER PRO NANO DC 10W 2200K 5° 0-10V (TYPE-2)	DL25102438955
XB.WP.111241520010	WASHER PRO NANO DC 10W 2200K 15° 0-10V (TYPE-2)	DL25102439055
XB.WP.111241E20010	WASHER PRO NANO DC 10W 2200K 25° 0-10V (TYPE-2)	DL25102439155
XB.WP.111241F20010	WASHER PRO NANO DC 10W 2200K 40° 0-10V (TYPE-2)	DL25102439255
XB.WP.111241G20010	WASHER PRO NANO DC 10W 2200K 55°x15° 0-10V (TYPE-2)	DL25102439355
XB.WP.111242D20010	WASHER PRO NANO DC 10W 2700K 5° 0-10V (TYPE-2)	DL25102439455
XB.WP.111242520010	WASHER PRO NANO DC 10W 2700K 15° 0-10V (TYPE-2)	DL25102439555
XB.WP.111242E20010	WASHER PRO NANO DC 10W 2700K 25° 0-10V (TYPE-2)	DL25102439655
XB.WP.111242F20010	WASHER PRO NANO DC 10W 2700K 40° 0-10V (TYPE-2)	DL25102439755
XB.WP.111242G20010	WASHER PRO NANO DC 10W 2700K 55°x15° 0-10V (TYPE-2)	DL25102439855
XB.WP.111243D20010	WASHER PRO NANO DC 10W 3000K 5° 0-10V (TYPE-2)	DL25102439955
XB.WP.111243520010	WASHER PRO NANO DC 10W 3000K 15° 0-10V (TYPE-2)	DL25102440055
XB.WP.111243E20010	WASHER PRO NANO DC 10W 3000K 25° 0-10V (TYPE-2)	DL25102440155
XB.WP.111243F20010	WASHER PRO NANO DC 10W 3000K 40° 0-10V (TYPE-2)	DL25102440255
XB.WP.111243G20010	WASHER PRO NANO DC 10W 3000K 55°x15° 0-10V (TYPE-2)	DL25102440355
XB.WP.111245D20010	WASHER PRO NANO DC 10W 4000K 5° 0-10V (TYPE-2)	DL25102440455
XB.WP.111245520010	WASHER PRO NANO DC 10W 4000K 15° 0-10V (TYPE-2)	DL25102440555
XB.WP.111245E20010	WASHER PRO NANO DC 10W 4000K 25° 0-10V (TYPE-2)	DL25102440655
XB.WP.111245F20010	WASHER PRO NANO DC 10W 4000K 40° 0-10V (TYPE-2)	DL25102440755
XB.WP.111245G20010	WASHER PRO NANO DC 10W 4000K 55°x15° 0-10V (TYPE-2)	DL25102440855
XB.WP.111248D20010	WASHER PRO NANO DC 10W 5700K 5° 0-10V (TYPE-2)	DL25102440955
XB.WP.111248520010	WASHER PRO NANO DC 10W 5700K 15° 0-10V (TYPE-2)	DL25102441055
XB.WP.111248E20010	WASHER PRO NANO DC 10W 5700K 25° 0-10V (TYPE-2)	DL25102441155
XB.WP.111248F20010	WASHER PRO NANO DC 10W 5700K 40° 0-10V (TYPE-2)	DL25102441255
XB.WP.111248G20010	WASHER PRO NANO DC 10W 5700K 55°x15° 0-10V (TYPE-2)	DL25102441355
XB.WP.111249D20010	WASHER PRO NANO DC 10W 6500K 5° 0-10V (TYPE-2)	DL25102441455
XB.WP.111249520010	WASHER PRO NANO DC 10W 6500K 15° 0-10V (TYPE-2)	DL25102441555
XB.WP.111249E20010	WASHER PRO NANO DC 10W 6500K 25° 0-10V (TYPE-2)	DL25102441655
XB.WP.111249F20010	WASHER PRO NANO DC 10W 6500K 40° 0-10V (TYPE-2)	DL25102441755
XB.WP.111249G20010	WASHER PRO NANO DC 10W 6500K 55°x15° 0-10V (TYPE-2)	DL25102441855

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.111241D20110	WASHER PRO NANO DC 10W 2200K 5° 0-10V Gray (TYPE-2)	DL25102462955
XB.WP.111241S20110	WASHER PRO NANO DC 10W 2200K 15° 0-10V Gray (TYPE-2)	DL25102463055
XB.WP.111241E20110	WASHER PRO NANO DC 10W 2200K 25° 0-10V Gray (TYPE-2)	DL25102463155
XB.WP.111241F20110	WASHER PRO NANO DC 10W 2200K 40° 0-10V Gray (TYPE-2)	DL25102463255
XB.WP.111241G20110	WASHER PRO NANO DC 10W 2200K 55°x15° 0-10V Gray (TYPE-2)	DL25102463355
XB.WP.111242D20110	WASHER PRO NANO DC 10W 2700K 5° 0-10V Gray (TYPE-2)	DL25102463455
XB.WP.111242S20110	WASHER PRO NANO DC 10W 2700K 15° 0-10V Gray (TYPE-2)	DL25102463555
XB.WP.111242E20110	WASHER PRO NANO DC 10W 2700K 25° 0-10V Gray (TYPE-2)	DL25102463655
XB.WP.111242F20110	WASHER PRO NANO DC 10W 2700K 40° 0-10V Gray (TYPE-2)	DL25102463755
XB.WP.111242G20110	WASHER PRO NANO DC 10W 2700K 55°x15° 0-10V Gray (TYPE-2)	DL25102463855
XB.WP.111243D20110	WASHER PRO NANO DC 10W 3000K 5° 0-10V Gray (TYPE-2)	DL25102463955
XB.WP.111243S20110	WASHER PRO NANO DC 10W 3000K 15° 0-10V Gray (TYPE-2)	DL25102464055
XB.WP.111243E20110	WASHER PRO NANO DC 10W 3000K 25° 0-10V Gray (TYPE-2)	DL25102464155
XB.WP.111243F20110	WASHER PRO NANO DC 10W 3000K 40° 0-10V Gray (TYPE-2)	DL25102464255
XB.WP.111243G20110	WASHER PRO NANO DC 10W 3000K 55°x15° 0-10V Gray (TYPE-2)	DL25102464355
XB.WP.111245D20110	WASHER PRO NANO DC 10W 4000K 5° 0-10V Gray (TYPE-2)	DL25102464455
XB.WP.111245S20110	WASHER PRO NANO DC 10W 4000K 15° 0-10V Gray (TYPE-2)	DL25102464555
XB.WP.111245E20110	WASHER PRO NANO DC 10W 4000K 25° 0-10V Gray (TYPE-2)	DL25102464655
XB.WP.111245F20110	WASHER PRO NANO DC 10W 4000K 40° 0-10V Gray (TYPE-2)	DL25102464755
XB.WP.111245G20110	WASHER PRO NANO DC 10W 4000K 55°x15° 0-10V Gray (TYPE-2)	DL25102464855
XB.WP.111248D20110	WASHER PRO NANO DC 10W 5700K 5° 0-10V Gray (TYPE-2)	DL25102464955
XB.WP.111248S20110	WASHER PRO NANO DC 10W 5700K 15° 0-10V Gray (TYPE-2)	DL25102465055
XB.WP.111248E20110	WASHER PRO NANO DC 10W 5700K 25° 0-10V Gray (TYPE-2)	DL25102465155
XB.WP.111248F20110	WASHER PRO NANO DC 10W 5700K 40° 0-10V Gray (TYPE-2)	DL25102465255
XB.WP.111248G20110	WASHER PRO NANO DC 10W 5700K 55°x15° 0-10V Gray (TYPE-2)	DL25102465355
XB.WP.111249D20110	WASHER PRO NANO DC 10W 6500K 5° 0-10V Gray (TYPE-2)	DL25102465455
XB.WP.111249S20110	WASHER PRO NANO DC 10W 6500K 15° 0-10V Gray (TYPE-2)	DL25102465555
XB.WP.111249E20110	WASHER PRO NANO DC 10W 6500K 25° 0-10V Gray (TYPE-2)	DL25102465655
XB.WP.111249F20110	WASHER PRO NANO DC 10W 6500K 40° 0-10V Gray (TYPE-2)	DL25102465755
XB.WP.111249G20110	WASHER PRO NANO DC 10W 6500K 55°x15° 0-10V Gray (TYPE-2)	DL25102465855
XB.WP.111241D20210	WASHER PRO NANO DC 10W 2200K 5° 0-10V Black (TYPE-2)	DL25102486955
XB.WP.111241S20210	WASHER PRO NANO DC 10W 2200K 15° 0-10V Black (TYPE-2)	DL25102487055
XB.WP.111241E20210	WASHER PRO NANO DC 10W 2200K 25° 0-10V Black (TYPE-2)	DL25102487155
XB.WP.111241F20210	WASHER PRO NANO DC 10W 2200K 40° 0-10V Black (TYPE-2)	DL25102487255
XB.WP.111241G20210	WASHER PRO NANO DC 10W 2200K 55°x15° 0-10V Black (TYPE-2)	DL25102487355
XB.WP.111242D20210	WASHER PRO NANO DC 10W 2700K 5° 0-10V Black (TYPE-2)	DL25102487455
XB.WP.111242S20210	WASHER PRO NANO DC 10W 2700K 15° 0-10V Black (TYPE-2)	DL25102487555
XB.WP.111242E20210	WASHER PRO NANO DC 10W 2700K 25° 0-10V Black (TYPE-2)	DL25102487655
XB.WP.111242F20210	WASHER PRO NANO DC 10W 2700K 40° 0-10V Black (TYPE-2)	DL25102487755
XB.WP.111242G20210	WASHER PRO NANO DC 10W 2700K 55°x15° 0-10V Black (TYPE-2)	DL25102487855
XB.WP.111243D20210	WASHER PRO NANO DC 10W 3000K 5° 0-10V Black (TYPE-2)	DL25102487955
XB.WP.111243S20210	WASHER PRO NANO DC 10W 3000K 15° 0-10V Black (TYPE-2)	DL25102488055
XB.WP.111243E20210	WASHER PRO NANO DC 10W 3000K 25° 0-10V Black (TYPE-2)	DL25102488155
XB.WP.111243F20210	WASHER PRO NANO DC 10W 3000K 40° 0-10V Black (TYPE-2)	DL25102488255
XB.WP.111243G20210	WASHER PRO NANO DC 10W 3000K 55°x15° 0-10V Black (TYPE-2)	DL25102488355
XB.WP.111245D20210	WASHER PRO NANO DC 10W 4000K 5° 0-10V Black (TYPE-2)	DL25102488455
XB.WP.111245S20210	WASHER PRO NANO DC 10W 4000K 15° 0-10V Black (TYPE-2)	DL25102488555
XB.WP.111245E20210	WASHER PRO NANO DC 10W 4000K 25° 0-10V Black (TYPE-2)	DL25102488655
XB.WP.111245F20210	WASHER PRO NANO DC 10W 4000K 40° 0-10V Black (TYPE-2)	DL25102488755

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.111245G20210	WASHER PRO NANO DC 10W 4000K 55°x15° 0-10V Black (TYPE-2)	DL25102488855
XB.WP.111248D20210	WASHER PRO NANO DC 10W 5700K 5° 0-10V Black (TYPE-2)	DL25102488955
XB.WP.111248520210	WASHER PRO NANO DC 10W 5700K 15° 0-10V Black (TYPE-2)	DL25102489055
XB.WP.111248E20210	WASHER PRO NANO DC 10W 5700K 25° 0-10V Black (TYPE-2)	DL25102489155
XB.WP.111248F20210	WASHER PRO NANO DC 10W 5700K 40° 0-10V Black (TYPE-2)	DL25102489255
XB.WP.111248G20210	WASHER PRO NANO DC 10W 5700K 55°x15° 0-10V Black (TYPE-2)	DL25102489355
XB.WP.111249D20210	WASHER PRO NANO DC 10W 6500K 5° 0-10V Black (TYPE-2)	DL25102489455
XB.WP.111249520210	WASHER PRO NANO DC 10W 6500K 15° 0-10V Black (TYPE-2)	DL25102489555
XB.WP.111249E20210	WASHER PRO NANO DC 10W 6500K 25° 0-10V Black (TYPE-2)	DL25102489655
XB.WP.111249F20210	WASHER PRO NANO DC 10W 6500K 40° 0-10V Black (TYPE-2)	DL25102489755
XB.WP.111249G20210	WASHER PRO NANO DC 10W 6500K 55°x15° 0-10V Black (TYPE-2)	DL25102489855
XB.WP.111241D20310	WASHER PRO NANO DC 10W 2200K 5° 0-10V White (TYPE-2)	DL25102510955
XB.WP.111241520310	WASHER PRO NANO DC 10W 2200K 15° 0-10V White (TYPE-2)	DL25102511055
XB.WP.111241E20310	WASHER PRO NANO DC 10W 2200K 25° 0-10V White (TYPE-2)	DL25102511155
XB.WP.111241F20310	WASHER PRO NANO DC 10W 2200K 40° 0-10V White (TYPE-2)	DL25102511255
XB.WP.111241G20310	WASHER PRO NANO DC 10W 2200K 55°x15° 0-10V White (TYPE-2)	DL25102511355
XB.WP.111242D20310	WASHER PRO NANO DC 10W 2700K 5° 0-10V White (TYPE-2)	DL25102511455
XB.WP.111242520310	WASHER PRO NANO DC 10W 2700K 15° 0-10V White (TYPE-2)	DL25102511555
XB.WP.111242E20310	WASHER PRO NANO DC 10W 2700K 25° 0-10V White (TYPE-2)	DL25102511655
XB.WP.111242F20310	WASHER PRO NANO DC 10W 2700K 40° 0-10V White (TYPE-2)	DL25102511755
XB.WP.111242G20310	WASHER PRO NANO DC 10W 2700K 55°x15° 0-10V White (TYPE-2)	DL25102511855
XB.WP.111243D20310	WASHER PRO NANO DC 10W 3000K 5° 0-10V White (TYPE-2)	DL25102511955
XB.WP.111243520310	WASHER PRO NANO DC 10W 3000K 15° 0-10V White (TYPE-2)	DL25102512055
XB.WP.111243E20310	WASHER PRO NANO DC 10W 3000K 25° 0-10V White (TYPE-2)	DL25102512155
XB.WP.111243F20310	WASHER PRO NANO DC 10W 3000K 40° 0-10V White (TYPE-2)	DL25102512255
XB.WP.111243G20310	WASHER PRO NANO DC 10W 3000K 55°x15° 0-10V White (TYPE-2)	DL25102512355
XB.WP.111245D20310	WASHER PRO NANO DC 10W 4000K 5° 0-10V White (TYPE-2)	DL25102512455
XB.WP.111245520310	WASHER PRO NANO DC 10W 4000K 15° 0-10V White (TYPE-2)	DL25102512555
XB.WP.111245E20310	WASHER PRO NANO DC 10W 4000K 25° 0-10V White (TYPE-2)	DL25102512655
XB.WP.111245F20310	WASHER PRO NANO DC 10W 4000K 40° 0-10V White (TYPE-2)	DL25102512755
XB.WP.111245G20310	WASHER PRO NANO DC 10W 4000K 55°x15° 0-10V White (TYPE-2)	DL25102512855
XB.WP.111248D20310	WASHER PRO NANO DC 10W 5700K 5° 0-10V White (TYPE-2)	DL25102512955
XB.WP.111248520310	WASHER PRO NANO DC 10W 5700K 15° 0-10V White (TYPE-2)	DL25102513055
XB.WP.111248E20310	WASHER PRO NANO DC 10W 5700K 25° 0-10V White (TYPE-2)	DL25102513155
XB.WP.111248F20310	WASHER PRO NANO DC 10W 5700K 40° 0-10V White (TYPE-2)	DL25102513255
XB.WP.111248G20310	WASHER PRO NANO DC 10W 5700K 55°x15° 0-10V White (TYPE-2)	DL25102513355
XB.WP.111249D20310	WASHER PRO NANO DC 10W 6500K 5° 0-10V White (TYPE-2)	DL25102513455
XB.WP.111249520310	WASHER PRO NANO DC 10W 6500K 15° 0-10V White (TYPE-2)	DL25102513555
XB.WP.111249E20310	WASHER PRO NANO DC 10W 6500K 25° 0-10V White (TYPE-2)	DL25102513655
XB.WP.111249F20310	WASHER PRO NANO DC 10W 6500K 40° 0-10V White (TYPE-2)	DL25102513755
XB.WP.111249G20310	WASHER PRO NANO DC 10W 6500K 55°x15° 0-10V White (TYPE-2)	DL25102513855
XB.WP.111244D20010	WASHER PRO NANO DC 10W 3500K 5° 0-10V (TYPE-2)	DL25102534955
XB.WP.111244520010	WASHER PRO NANO DC 10W 3500K 15° 0-10V (TYPE-2)	DL25102535055
XB.WP.111244E20010	WASHER PRO NANO DC 10W 3500K 25° 0-10V (TYPE-2)	DL25102535155
XB.WP.111244F20010	WASHER PRO NANO DC 10W 3500K 40° 0-10V (TYPE-2)	DL25102535255
XB.WP.111244G20010	WASHER PRO NANO DC 10W 3500K 55°x15° 0-10V (TYPE-2)	DL25102535355
XB.WP.111244D20110	WASHER PRO NANO DC 10W 3500K 5° 0-10V Gray (TYPE-2)	DL25102538955
XB.WP.111244520110	WASHER PRO NANO DC 10W 3500K 15° 0-10V Gray (TYPE-2)	DL25102539055
XB.WP.111244E20110	WASHER PRO NANO DC 10W 3500K 25° 0-10V Gray (TYPE-2)	DL25102539155

Fixtures - 0-10V

Model No.	Description	Item Code
XB.WP.111244F20110	WASHER PRO NANO DC 10W 3500K 40° 0-10V Gray (TYPE-2)	DL25102539255
XB.WP.111244G20110	WASHER PRO NANO DC 10W 3500K 55°x15° 0-10V Gray (TYPE-2)	DL25102539355
XB.WP.111244D20210	WASHER PRO NANO DC 10W 3500K 5° 0-10V Black (TYPE-2)	DL25102542955
XB.WP.111244520210	WASHER PRO NANO DC 10W 3500K 15° 0-10V Black (TYPE-2)	DL25102543055
XB.WP.111244E20210	WASHER PRO NANO DC 10W 3500K 25° 0-10V Black (TYPE-2)	DL25102543155
XB.WP.111244F20210	WASHER PRO NANO DC 10W 3500K 40° 0-10V Black (TYPE-2)	DL25102543255
XB.WP.111244G20210	WASHER PRO NANO DC 10W 3500K 55°x15° 0-10V Black (TYPE-2)	DL25102543355
XB.WP.111244D20310	WASHER PRO NANO DC 10W 3500K 5° 0-10V White (TYPE-2)	DL25102546955
XB.WP.111244520310	WASHER PRO NANO DC 10W 3500K 15° 0-10V White (TYPE-2)	DL25102547055
XB.WP.111244E20310	WASHER PRO NANO DC 10W 3500K 25° 0-10V White (TYPE-2)	DL25102547155
XB.WP.111244F20310	WASHER PRO NANO DC 10W 3500K 40° 0-10V White (TYPE-2)	DL25102547255
XB.WP.111244G20310	WASHER PRO NANO DC 10W 3500K 55°x15° 0-10V White (TYPE-2)	DL25102547355

Cable/Connector for DC fixture

Model No.	Description	Item Code
CA.SC.CC101000	STARTER CABLE TYPE-2 DC 4-PIN 1M	DA23100027555
CA.SC.CC103000	STARTER CABLE TYPE-2 DC 4-PIN 3M	DA23100027655
CA.SC.CC105000	STARTER CABLE TYPE-2 DC 4-PIN 5M	DA23100027755
CA.SC.CC110000	STARTER CABLE TYPE-2 DC 4-PIN 10M	DA23100027855
CA.IC.CC101000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 1M	DA23100027955
CA.IC.CC103000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 3M	DA23100028055
CA.IC.CC105000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 5M	DA23100028155
CA.IC.CC110000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 10M	DA23100028255
CA.PI.CC100000	POWER INJECTOR CABLE TYPE-2 DC 4-PIN	DA23100150155
CA.SC.CC401000	STARTER CABLE TYPE-2 DC 2-PIN 1M	DA23100166455
CA.SC.CC403000	STARTER CABLE TYPE-2 DC 2-PIN 3M	DA23100166555
CA.SC.CC405000	STARTER CABLE TYPE-2 DC 2-PIN 5M	DA23100166655
CA.SC.CC410000	STARTER CABLE TYPE-2 DC 2-PIN 10M	DA23100166755
CA.EC.CC100000	END CAP TYPE-2 DC 4/5-PIN W/TERM	DA23100028355
CA.IC.CCC01000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 1M 0-10V	DA25102438055
CA.IC.CCC03000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 3M 0-10V	DA25102438155
CA.IC.CCC05000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 5M 0-10V	DA25102438255
CA.IC.CCC10000	INTERCONNECTION CABLE TYPE-2 DC 4-PIN 10M 0-10V	DA25102438355
CA.SC.CCC01000	STARTER CABLE TYPE-2 DC 4-PIN 1M 0-10V	DA25102438455
CA.SC.CCC03000	STARTER CABLE TYPE-2 DC 4-PIN 3M 0-10V	DA25102438555
CA.SC.CCC05000	STARTER CABLE TYPE-2 DC 4-PIN 5M 0-10V	DA25102438655
CA.SC.CCC10000	STARTER CABLE TYPE-2 DC 4-PIN 10M 0-10V	DA25102438755
CA.PI.CCC00000	POWER INJECTOR CABLE TYPE-2 DC 4-PIN 0-10V	DA25102438855
N / A	TYPE-2 END CAP WO/TERM	DA26104856655

NOTE: The term TYPE-2 mentioned above in the description represents the CC Connector.

Spread Lens

Model No.	Description	Item Code
WP.SM.109000	W PRO WHITE SL KIT 55° NANO	DL24102286155
WP.SM.110000	W PRO WHITE SL KIT 70° NANO	DL24102286655
WP.SM.111000	W PRO WHITE SL KIT 85° NANO	DL24102287155
WP.SM.112000	W PRO WHITE SL KIT 60°x20° NANO	DL24102287655

Glare Shield

Model No.	Description	Item Code
WP.AG.100000	W PRO GS ANGLED NANO COVER	DA23100030455
WP.FG.100000	W PRO GS FULL NANO COVER	DA23100031255
WP.AG.100100	W PRO GS ANGLED NANO COVER Gray	DA23100150255
WP.FG.100100	W PRO GS FULL NANO COVER Gray	DA23100150755
WP.AG.100200	W PRO GS ANGLED NANO COVER Black	DA23100151255
WP.FG.100200	W PRO GS FULL NANO COVER Black	DA23100151755
WP.AG.100300	W PRO GS ANGLED NANO COVER White	DA23100152255
WP.FG.100300	W PRO GS FULL NANO COVER White	DA23100152755

Rotatable Mount Plate

Model No.	Description	Item Code
WP.RP.100000	W PRO RP NANO	DA23100032555
WP.RP.100100	W PRO RP NANO Gray	DA23100154155
WP.RP.100200	W PRO RP NANO Black	DA23100154555
WP.RP.100300	W PRO RP NANO White	DA23100154955

Tree Ring Mount

Model No.	Description	Item Code
WP.TR.A00000	W PRO TREE RING	DA24102288155
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT	DA24102288255
N / A	W PRO NANO/ MICRO TREE RING ADAPTOR KIT FOR RP	DA24102288355

Stake Mount

Model No.	Description	Item Code
WP.ST.100000	W PRO STAKE KIT NANO	DA24102307455

Others

Model No.	Description	Item Code
By request	Post Mount	On demand / Coming soon
On demand / Coming soon	Compression Post Mount	On demand / Coming soon
On demand / Coming soon	Extendable Mounting Arm	On demand / Coming soon
On demand / Coming soon	Pendant Mount	On demand / Coming soon



TRAXON | ecue

MEMBER OF PROSPERITY GROUP

www.traxon-ecue.com